



THE UNIVERSITY *of* EDINBURGH

## Edinburgh Research Explorer

### Tephra isochrons and chronologies of colonisation

**Citation for published version:**

Schmid, MME, Dugmore, AJ, Vésteinsson, O & Newton, AJ 2017, 'Tephra isochrons and chronologies of colonisation', *Quaternary Geochronology*, vol. 40, pp. 56-66. <https://doi.org/10.1016/j.quageo.2016.08.002>

**Digital Object Identifier (DOI):**

[10.1016/j.quageo.2016.08.002](https://doi.org/10.1016/j.quageo.2016.08.002)

**Link:**

[Link to publication record in Edinburgh Research Explorer](#)

**Document Version:**

Peer reviewed version

**Published In:**

Quaternary Geochronology

**Publisher Rights Statement:**

© 2016 Elsevier B.V. All rights reserved.

**General rights**

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

**Take down policy**

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact [openaccess@ed.ac.uk](mailto:openaccess@ed.ac.uk) providing details, and we will remove access to the work immediately and investigate your claim.



# Tephra isochrons and chronologies of colonisation

Magdalena M.E. Schmid<sup>1</sup> \*, Andrew J. Dugmore<sup>2</sup>, Orri Vésteinsson<sup>1</sup>, Anthony J. Newton<sup>2</sup>

<sup>1</sup> Department of Archaeology, University of Iceland, Sæmundargötu 10, 101 Reykjavík, Iceland.

<sup>2</sup> Institute of Geography, School of GeoSciences, University of Edinburgh, Drummond Street, Edinburgh EH8 9XP, Scotland, UK

\* Corresponding author: E-mail address: mme6@hi.is

## Abstract

This paper demonstrates the use of tephrochronology in dating the earliest archaeological evidence for the settlement of Iceland. This island was one of the last places on Earth settled by people and there are conflicting ideas about the pace and scale of initial colonisation. Three tephra layers, the Landnám ('land-taking') tephra layer (A.D. 877 ± 1), the Eldgjá tephra (A.D. 939) and the recently dated V-Sv tephra (A.D. 938 ± 6) can be found at 58% of 253 securely-dated early settlement sites across the country. The presence of the tephras permits both a countrywide comparison, and a classification of these settlement sites into pre-Landnám, Landnám and post-Landnám. The data summarised here for the first time indicate that it will be possible to reconstruct the tempo and development of the colonisation process in decadal resolution by more systematically utilising the dating potential of tephrochronology.

Keywords: Iceland; tephra isochrons; Landnám tephra; colonisation; periodization; Viking Age

## **1. Introduction**

Understanding the pattern and timing of the peopling of a landscape is a difficult task, because evidence is scattered across sites where the potential for dating may vary from excellent to problematic. Without effective integration, dates of different precisions, accuracy and bias derived from a range of different media may give a misleading sense of either synchronous or time-transgressive change, a problem aptly described by Baillie (1991) as ‘suck in and smear’. The isochrons formed by tephra layers offer a rigorous way to avoid these problems when the volcanic ash (tephra) falls occur around times of colonisation, cover extensive areas, have distinctive properties that are well-characterised, and have good independent dating (Þórarinnsson, 1944; Dugmore and Newton, 2012; Lowe and Alloway, 2015). While tephrochronology has been successfully applied to studies of the first human settlement in areas such as Iceland (Vésteinsson and McGovern, 2012) and New Zealand (Lowe et al., 2000), it can be further developed to produce routine high-resolution dating of the pattern and tempo of human occupation. Elsewhere in the world, such as the western parts of the Americas, this approach has great and currently unrealised potential applications to the study of colonisation phases (both human and non-human) across the widespread areas affected by visible or crypto tephra falls.

Iceland was one of the last places on Earth settled by people and yet despite a rich history of academic study, the timing and pattern of the late 9<sup>th</sup> to early 10<sup>th</sup> century A.D. Viking settlement of Iceland (the ‘Landnám’ or ‘land-taking’) is still debated vigorously (e.g. Vésteinsson and McGovern 2012; Edwards, 2012; Sveinbjarnardóttir, 2012a). Based on

later written sources, the onset of Landnám has traditionally been put at A.D. 870 (Benediktsson, 1968); this is broadly supported by the relationship of early archaeological evidence to a tephra from the A.D. 870s named the Landnám tephra layer (LTL). However, controversy over the timing of the settlement has been generated by a dozen or so radiocarbon dates linked to human activity at around A.D. 700 (e.g. Hermanns-Auðardóttir, 1989; Theodórsson 1998; 2009; 2012). The relevance of these ‘early’ dates to Iceland’s settlement history is problematic because either their stratigraphic positions are unsecure or their interpretation is demonstrably incorrect—for example an ‘early’ date from a secure context above LTL of A.D.  $877 \pm 1$  indicates that the dates are misleading and could, for example, be a result of the use of old timber for fires (Sveinbjörnsdóttir et al., 2004; 2016). Given the widespread occurrence of old dead timber at the time of first human settlement in wooded areas there will always be an element of uncertainty over ‘early’ charcoal dates in Iceland even if they are from native species and secure stratigraphic locations.

While the overwhelming majority of archaeological evidence occurs above LTL, a small number of archaeological features in the southwest of Iceland are overlain by this tephra horizon (Jóhannesson and Einarsson, 1988; Roberts et al., 2003). In addition paleoenvironmental data in the same region suggest first anthropogenic disturbances (human and livestock) some time between A.D. 830-877 (Erlendsson et al., 2014).

Understanding when people arrived is part of the puzzle, but understanding *how* they arrived, in a trickle, a steady flow or a torrent (Edwards, 2012) is key, but in addition to the timing of colonisation, the pattern of settlement is also unclear and this too is a difficult question to resolve. Two different narratives have emerged from key areas in the



north of Iceland: Bolender et al. (2011) see a gradual infilling of the landscape in Skagafjörður between the LTL and Hekla 1104, however Vésteinsson and McGovern (2012) argue that Mývatnsveit was rapidly settled between the LTL and V-Sv tephra of A.D.  $938 \pm 6$ . The V-Sv tephra is closely related in time to the Eldgjá tephra and both are mid-tenth century tephra layers of Icelandic origin that are of great importance to the colonisation debate; while the recently discovered V-Sv tephra is distributed over large parts of northeast Iceland the Eldgjá tephra is distributed in the southwest and east.

Tephrochronology, in conjunction with other dating methods such as radiocarbon, offers an effective and rigorous way to resolve debates over the timing and tempo of settlement, because of the presence of tephra layers at around the time of first settlement and in the centuries both before and afterwards.

This paper reassesses the chronology of 300 Viking period settlement sites in Iceland (A.D. ~800-1100), of which 253 can be dated with well-established tephra isochrons. We discuss the dating of tephra deposits in Iceland and the application of tephrochronology with a focus on eighteen tephra horizons ranging between LTL and Hekla 1693. This new analysis suggests there is a distinct spatial patterning to the archaeology of the settlement of Iceland, with the earliest phases clustered in the southwest and a rapid colonisation both in coastal and inland areas by the mid 10<sup>th</sup> century.

## **2. Materials and methods**

### **2.1 Archaeological data**

Chronologies for Viking settlement sites in Iceland have been based on tephrochronology, radiocarbon and artefactual dating. However, prior to the last decade of the 20<sup>th</sup> century, these methods rarely produced dates more precise than the ‘Viking Age’ (Eldjárn, 2000; Grímsdóttir, 1997; Vilhjálmsen, 1991). The wealth of new archaeological data in Iceland, as well as methodological advances in Bayesian analysis, now make it possible to critically reassess the chronological evidence relating to the settlement of Iceland and to aim for a much improved resolution of the timing and pattern of colonisation within the Viking Age (e.g. Batt et al., 2015).

This discussion is based on a new catalogue of 543 archaeological sites that have been dated to the Viking period (Schmid, forthcoming). In this work, secondary source data was gathered from field reports (e.g. reports published by FSÍ, the Institute of Archaeology in Iceland, accessible at: [www.nabohome.org](http://www.nabohome.org)) and academic monographs (e.g. Lucas, 2009; Sveinbjarnardóttir, 2012b). The catalogue consists of archaeological interventions including large-scale excavations, trenches and surface collections from the 19<sup>th</sup> century to 2016. Data gathering was performed with a systematic search of the corpus of field reports site-by-site, supplemented with direct questioning of the researchers involved. The complete catalogue includes all Viking Age sites in Iceland that contain direct evidence of human activity. The discussion in this study is, however, restricted to the sites dated through tephrochronology.

The Icelandic archaeological sites related to early human activity can be separated into three categories: 55% of the sites are settlements (n=300), 24% are burials (n=132)

and 21% are assemblages (loose finds, n=111). Since tephra is hardly ever documented at burial sites and is absent from assemblages of loose find, these categories are not considered in this tephrochronological study and we focus exclusively on archaeological evidence that is related to settlement. 253 out of 300 settlement-related sites have associated tephra layers and are listed in SI Table 1 (Fig. 1). These sites can be either a single feature or a cluster of features, such as anthropogenic disturbances associated with farming, charcoal layers, midden deposits, iron production pits, or they can be structures below ground (pit houses or caves), or structures above ground (dwellings, halls, smithies, animal stalls or boundary earthworks). Each archaeological feature or cluster of features is considered a 'site' when it has been given a separate name by the investigator.

The Viking Age settlement sites considered in this study are primarily dated by reference to three tephra isochrons, the LTL, Eldgjá and V-Sv tephtras. Where these tephtras are not present, sites are dated by reference to the Hekla tephtras from 1104 or 1158 that provide secure *termini ante quos* for the archaeological site. Tephra layers dating between Hekla 1202 and Hekla 1693 are taken into account if they are in combination with one of the 9<sup>th</sup> or 10<sup>th</sup> centuries tephra horizons described above because in most cases the archaeological structure or deposit is immediately on top of the 9<sup>th</sup> and 10<sup>th</sup> century tephra layers and thus likely represents human occupation within the Viking Age. In order to discuss settlement patterns, we separate the data into four geographical areas, the southwest, the northwest, the north and the east (Fig. 1).

## 2.2 Tephrochronology

Tephrochronology is based on (a) identifying tephra deposits, (b) correlating separate deposits from the same eruption to define isochrons, and (c) establishing calendar or sidereal dates for the tephra (Þórarinnsson, 1944; Lowe, 2011). The development of tephrochronology as a geochronological technique was pioneered in Iceland by Sigurður Þórarinnsson, who described the theoretical foundations of this dating technique and developed its applications through studies of archaeology, historical sources, geomorphology and environmental change (Þórarinnsson, 1944; 1952; 1954; 1956; 1957). In addition to considering proximal areas with visible tephra layers, Þórarinnsson also drew attention to the possibility of creating precise teleconnections using ultra-distal tephra deposits—very fine grained deposits that are not visible to the naked eye due to their low concentrations (Þórarinnsson, 1981a). These deposits, now known as *cryptotephra*s (Lowe and Hunt, 2001), can be used to both extend the geographical coverage of tephrochronology (Davies, 2015), and also enhance stratigraphic resolution (Dugmore et al., 1992).

In this paper, eighteen tephra layers ranging from A.D. 877 to 1693 are used to establish a chronological framework for Viking period features (Table 1). Historically dated tephra layers in Iceland are named after the source volcanic system and the eruption date in years A.D. (-symbol). Some tephra layers that have obtained age independent estimates have been given age independent names, as the date of the eruption can change (~symbol for estimated ages and  $\pm$  symbol for quantifiable error values).

## **Dating of tephra deposits in Iceland**

In Iceland, strategies to obtain independent age estimates of tephra layers utilize written sources, correlation to annually layered sediments in lakes, the ice core records in Greenland and age depth profiles constructed using sediment accumulation rates constrained by other chronological evidence, such as radiometric dates and written sources (e.g. Þórarinnsson, 1967, Grönvold et al., 1995; Zielinski et al., 1997; Dugmore and Newton, 2012, Streeter and Dugmore, 2014).

### **2.2.1 Sediment accumulation rates (SeAR)**

Sediment accumulation rates (SeAR) refer to annual accumulation in different depositional environments. They can be used to estimate the age of undated tephra layers that occur between well-dated ones within suitable stratigraphic sequences (Haflíðason et al., 2000; Streeter and Dugmore, 2014; Sigurgeirsson et al., 2013).

1) Some Icelandic tephra dates have been derived from annually resolved ice-core stratigraphies in Greenland. However, dates of some tephra layers identified in Greenlandic ice cores has not been unambiguous. Sigl et al. (2015) claim to have resolved the discrepancies between ice cores chronologies, by high resolution measuring of  $^{10}\text{Be}$  concentrations in four ice cores (NEEM-2011-S1, TUNU2013 and NGRIP from Greenland and the West Antarctic Ice Sheet Divide Core), improved annual-layer counting, reinterpretation of tephra and sulphate spikes and using tree ring and historical records and other independent age information. All tephra dates that are based on ice core chronologies using, or referencing, GICC05 (Vinther et al., 2006) therefore need adjusting. This has important implications for the dating of not only Icelandic tephra

layers, but also other eruptions that rely on ice core chronologies. Baillie and McAneney (2015) discuss issues (tree rings, ice cores and historical records) surrounding the dating of the Eldgjá eruption, which they suggest could be responsible for climatic fluctuations observed in A.D. 939-940. Previously, the Eldgjá tephra had been dated to A.D.  $938 \pm 4$  (GISP2 core: Zielinski et al., 1995) and to A.D.  $933 \pm 1$  (GICC05 chronology: Vinther et al., 2006). An adjustment of 6 years is suggested by Baillie and McAneney (2015) and the date of A.D. 939 is used by Sigl et al. (2015). This implies that the age of the LTL tephra layer should also be reassessed. The LTL has previously been dated to A.D.  $871 \pm 2$  (GRIP core/GICC05 chronology: Grönvold et al., 1995; Vinther et al., 2006) and to A.D.  $877 \pm 4$  (GISP2 core: Zielinski et al., 1997). The revised age of the Eldgjá tephra allows bringing forward the often quoted GISP2 age of the LTL by six years to A.D.  $877 \pm 1$  and is therefore in agreement with the mean age of the GRIP chronology.

2) Tephra dates have been derived from regular or rhythmically deposited lacustrine sediments. A series of layers forming a group named the *Landnám* tephra sequence (LNS) has been analysed from lacustrine sediment cores extracted from Lake Mývatn in the north of Iceland (McGovern et al., 2007; Sigurgeirsson et al., 2013). The date of a distinctive olive-green basaltic tephra layer (V-Sv) found in the LNS was dated using sediment accumulation rates from nine cores from Lake Mývatn and is also found in many terrestrial sediment sequences (Fig. 2). This tephra was erupted from Veiðivötn volcanic system after the LTL and before Hekla 1158 tephra layers. The presence of these well-dated tephra layers provided the chronological control to calculate the age of the V-Sv tephra. The name V-Sv was adopted by Sigurgeirsson et al. (2013), as it is age independent and allows for further revision of the estimate of the dating of its deposition.

The age of the 10<sup>th</sup>-century Veidivötn tephra (V-Sv) was estimated by Sigurgeirsson et al. (2013) using the sedimentation rate between the LTL and H-1158 and they calculated the age of the V-Sv tephra by using both Greenland ice core dates (GRIP and GISP) for the LTL. Therefore, if the age of LTL is assumed to be A.D.  $871 \pm 2$  (the GRIP date), then the 10<sup>th</sup> century Veidivötn tephra was estimated to be A.D.  $933 \pm 6$  and if the LTL was assumed to be A.D.  $877 \pm 4$  (the GISP2 date), the age of the V-Sv tephra was A.D.  $938 \pm 6$  (Sigurgeirsson et al., 2013). However, the revision of the GICC05-based ice core chronologies (e.g. GISP2) suggested by Baillie and McAneney (2015) and Sigl et al. (2015) means that the resultant A.D.  $877 \pm 1$  age for LTL produces an average age estimate of A.D.  $938 \pm 6$  for the V-Sv tephra. Based on the same approach using sedimentation rates and assuming an age of A.D.  $877 \pm 1$  for the LTL, other tephra layers in the north have been dated to mean ages of A.D. 1239, A.D. 824, A.D. 803, A.D. 795 and A.D. 710 (Sigurgeirsson et al., 2013). Elsewhere, a similar method has been applied to derive calendar dates for K~920 and K~1500 (Hafliðasson et al., 1992).

3) Accumulation rates within aeolian sediments have also been used to infer tephra dates; here accuracy and precision is closely controlled by the approach used. For example, Streeter and Dugmore (2014) estimated the age of two 15<sup>th</sup> century Grímsvötn tephra layers using aeolian sediment accumulation rates between K-1416 and V-1477 in an area of rapid aggradation. Multiple high-resolution measurements of sediment thickness ( $n=1960$ ) were used to infer ages of A.D.  $1432 \pm 5$  (mean  $\pm$  1SD) and A.D.  $1457 \pm 5$  (mean  $\pm$  1SD) and the accuracy was evaluated by using the same method to date a tephra of known age – that of K-1262 (Streeter and Dugmore, 2014). The test used calculations of SeAR between tephras H-1206 and H-1300 (time interval between control

points 96 years), and measurements to an accuracy of  $\pm 2.5$  mm; the age inferred for the A.D. 1262 tephra was A.D.  $1264 \pm 10$  (mean  $\pm$  1SD,  $n=97$ ). A ‘Vj~1000’ tephra has been identified in association with early settlement sites in Skagafjörður (e.g. Bolender et al., 2011; Zoëga et al. 2013), but this estimate has significant uncertainty, as it uses SeAR over more than 227 years as opposed to c. 60 years for Streeter and Dugmore’s (2014) Grímsvötn dates or 96 years for their test of the Katla layer.

### **2.2.2 Written sources**

Tephra layers that were deposited at times for which written records survive can be dated with both precision and accuracy, sometimes to the year, on occasion to a month, week or day of the eruption (Þórarinnsson, 1967). Þórarinnsson’s seminal works focused on Hekla (Þórarinnsson, 1967) and Öraefajökull (Þórarinnsson, 1952), he compiled a catalogue of Katla eruptions (Þórarinnsson, 1977) and identified layers from other systems such as Grímsvötn (Þórarinnsson, 1981b). The approach is not without its critics (e.g. Vilhjálmsson, 1991), but dates derived from written sources for tephra layers such as H-1104, H-1158 and H-1300 have withstood the test of time and are frequently used as reliable *termini post quos* for Viking age sites.

### **2.3 Identification of tephra deposits**

The application of tephrochronology in Icelandic archaeology first began with the use of major tephra layers such as those formed by the A.D. 1104 eruption of Hekla in Þjórsádalur and pre-settlement plinian tephtras such as Hekla 3 and Hekla 4 (Þórarinnsson, 1944; 1967). Initially reference to a few clearly developed marker horizons can achieve a



lot, but in order to engage with crucial detail—such as the decadal scale pattern and timing of initial settlement—greater temporal resolution is needed. Þórarinnsson created some of this with his magisterial work on the historic eruptions of Hekla (Þórarinnsson, 1967) and this has since been developed through work on other volcanic systems (e.g. Larsen, 2000; Óladóttir et al., 2008). Further enhancement can be achieved by the careful utilization of thin and weakly developed or poorly provenanced tephra layers that occur between the major, well-constrained marker horizons (Dugmore and Newton, 2012).

Rigour is required because fine layers have poorly developed layer colours and may have the same physical appearance as other tephras; deposits that are from the same volcanic source, but from different eruptions, can have a very similar major, minor and indeed trace element chemistry, and thus appear similar in the field. Silicic tephra layers from two 12<sup>th</sup> century eruptions (H-1104 and H-1158) are both found in the north, where they form very thin horizons. Although they may be confused in the field, it has been demonstrated that they have distinctly different chemistries (Larsen et al. 1999; Newton, 2008). In a comparable way, tephras with similar major element chemistry from K~920 and Eldgjá overlap in the south where either one or both may appear in sections (e.g. at Hrísrú: Sigurgeirsson, 2014). Veiðivötn tephras formed in the 9<sup>th</sup> and 10<sup>th</sup> centuries have a very similar chemistry, with overlapping compositions, but the crucial LTL of A.D. 877  $\pm$  1 is unique as it includes crystals resulting from the interaction of the Veiðivötn and Torfajökull volcanic systems and their simultaneous activity (Larsen, 1982). Silicic tephra layers from Katla (the ‘SILK layers of Larsen et al., 2001) can be confidently identified in the field when only a few mm thick because of a combination of a distinctive ‘needle grain’ shard morphology and their stratigraphic context in relation to other tephra

layers (e.g. SILK-un in Dugmore et al., 2000). Thus, confident identification of thin, weakly developed or poorly provenanced tephra layers relies on a combination of precise stratigraphy, the identification of a crystal fraction or distinctive shard morphologies, chemical analysis of the glass fraction, and integration within a well-known local and regional tephrostratigraphic framework.

## **2.4 Dating archaeological sites using tephra deposits**

The presence of well-dated tephra isochrones within the archaeological stratigraphy is a major asset when building site chronologies (Lane et al., 2014; Riede and Thastrup, 2013). Tephra can be preserved *in situ* below and/or above anthropogenic layers where the area has been exposed to atmospheric fallout and aeolian sediment accumulation has not been disturbed (Fig. 3). These sites may include turf structures and layers of midden. Turf is a commonly used building material in Iceland and turf blocks can include tephra layers that were near to the surface when the turf was cut (Fig. 3). As a result, tephra layers can be moved around the landscape within building materials and incorporated into structures. Tephra layers *in situ* above anthropogenic features give secure *termini ante quos*; tephra layers *in situ* below anthropogenic features as well as tephra in turf generally give secure *termini post quos*.

## **3. Results and discussion**

### **3.1 Presence/absence of tephra at archaeological sites**

This study considers a total of 300 archaeological sites related to settlement; 59% are located in the north (n=176), 20% are in the southwest (n=60), 17% in the east (n=51)

and 4% in the northwest (n=13) (Fig. 1). It is important to note that these numbers do not reflect the density of settlement, rather they reflect fieldwork activity. In the north 92% of sites include *in situ* tephra layers (162 out of 176), as do 77% in the southwest (46 out of 60 with tephra), 78% in the east (40 out of 51), and proportionally less (38%) in the northwest (5 out of 13) (Table 2).

This regional pattern is biased, because more of the excavations in the north have involved methodologies that maximise the likelihood of successfully using tephrochronology. In contrast, many of the earlier excavation methods employed in the south did not excavate turf walls and thus any tephra deposits *in situ* beneath them were not documented. The absence of tephra for an archaeological site may be a result of impacts of household activities and building construction that removed sediments including tephra layers. Alternatively the absence may be as a result of a lack of tephra layers. In the west, for example, the low frequency of tephra records is a reflection of the location of volcanoes to the east and prevailing westerly winds, which results in a much lower frequency of tephra falls, especially in the West Fjords. Modern excavation techniques, including the identification of cryptotephra, may yet reveal tephra layers at sites, which currently have no record of them.

The tephra layers used to date Viking Age deposits are listed in Table 2. One third of the sites are dated with medieval tephra layers ranging between A.D. 1206 and 1693 (n=71). This highlights one fundamental limitation of tephrochronology as a means of dating archaeological sites in Iceland and elsewhere; tephra layers have to be present and identifiable. Some sparse records, such as sites that only contain tephra produced in late

9<sup>th</sup> century (LTL) and at the turn of the 17<sup>th</sup> century (H-1693) may reflect an environmental reality, alternatively cryptotephra may be present but currently unidentified. Cryptotephra represent an untapped potential in Icelandic archaeology, but one that would require further methodological innovations to extract sparse numbers of fine-grained volcanic glass shards from a matrix of volcanically-derived andisols of a similar particle size.

### **3.2 Spatial distribution of the LTL, Eldgjá and V-Sv tephra**

The LTL, Eldgjá and V-Sv tephra cover substantial parts of Iceland and are associated with 58% of early settlement sites (n=173). Isopach maps are available from the LTL and Eldgjá tephra and are illustrated in figure 4. The LTL is preserved at 83 sites, of which 33 are located in the southwest, five in the northwest, 38 in the north and seven sites are located in the east (Table 2). The distribution of the LTL at archaeological sites in the north goes beyond the borders mapped by Larsen (1984; Fig. 4B) and shows how distributions may be extended by additional detailed study. The Eldgjá tephra is primarily found associated with sites in the southwest (n=11) and east (n=10) and is also documented in the north (n=2) (Fig. 4C, Table 2). The V-Sv tephra is primarily found in the north (n=65), but also in the east (n=2) (Fig. 4C, Table 2).

### **3.3 Chronology of archaeological sites**

The range of tephra layers allows a secure periodization of settlement sites in Iceland (SI Table 1). The pre-Landnám period summarizes sites where human activity occurred before the LTL was deposited (Period 1=1%); the Landnám period refers to

sites that are sandwiched between the LTL and Eldgjá or V-Sv tephras (Period 2=6%) and the post-Landnám period covers sites that are sandwiched between the Eldgjá or V-Sv tephras and the Hekla tephras of A.D. 1104 or 1158 (Period 3=19%) (Fig. 5).

Archaeological sites that were occupied before the deposition of the Vj or Hekla tephras of A.D. 1104 or 1158 are categorized as Viking age (Period 4=38%). Sites considered as potential Viking age are dated post-LTL or between LTL and a 12<sup>th</sup>-17<sup>th</sup> century tephra layer (Period 5=17%). Sites are considered as potential post-Landnám are dated post-Eldgjá/V-Sv or between one of these 10<sup>th</sup> century tephras and a 12<sup>th</sup>-17<sup>th</sup> century tephra (Period 6=19%).

There is a pattern to the regional distribution of settlement-related sites connected to the LTL, Eldgjá and V-Sv tephra layers. The two sites with evidence for occupation before the deposition of LTL are both in the southwest (Period 1: Fig. 6A). Sites that are dated between the deposition of the LTL and Eldgjá/V-Sv tephra layers are scattered around the southwest, east and north and found equally in coastal as well as inland regions (Period 2: Fig. 6B). Sites that were occupied after the deposition of the V-Sv tephra are mostly located in the north (Period 3: Fig. 6C) – a function of the distribution of that tephra. Figure 6 illustrates continuity of settlement in the south and north. The distribution of Viking Age sites shows that all inhabitable parts of the island were most likely occupied by the 10<sup>th</sup> and 11<sup>th</sup> centuries and the next phase of Viking expansion to Greenland (Period 4: Fig. 7).

The presence of both the LTL and V-Sv tephra layers in the north and the LTL and Eldgjá tephras in the southwest and east has allowed better dating than is possible in

regions where tephra layers from the early settlement period have not been identified and the closest available isochrons are formed by H-1104 and H-1158 or even later tephras. This situation could be improved through the application of other dating methods, in particular radiocarbon dating within a Bayesian framework (e.g. Church et al., 2007; Batt et al., 2015).

These results suggest that although colonisation had started before the 870s in the southwest, the bulk of first settlement happened after that date. Other patterns in the data reflect different fieldwork intensities in different regions and the uneven distribution of (identified) tephras. Within the regions where the A.D. 939 Eldgjá and A.D.  $938 \pm 6$  V-Sv tephras have been identified there are a significant number of sites with deposits below those horizons. Indeed, in open area excavation around Lake Mývatn, where the identification of the tephra is far more certain than in limited exposures, anthropogenic layers are below the V-Sv in two out of three sites. Vésteinsson and McGovern (2012) argue that many of these pre-A.D.  $938 \pm 6$  sites represent satellite occupations on less than optimal land, or indeed main occupation sites that are themselves in marginal areas, and this indicates a rapid process of colonisation and near complete occupation of the landscape, encompassing ideal sites and far less than ideal ones, all before the mid-930s.

The new catalogue of early settlement sites shows that none of the pre- A.D.  $938 \pm 6$  archaeological features identified so far in the north are from currently upstanding remains like turf walls. They are all entirely sub-surface features such as pit houses, middens or traces of cultivation. In contrast, most of the post mid-930s dates relate to archaeological remains that are still visible as positive features of relief, such as turf-

walls of houses and earthwork systems. Such upstanding features in the modern landscape are much more easily identifiable than buried remains; feature of field surveys and are more likely to be targeted for excavation. Furthermore, when excavated they are more likely to preserve tephra layers by sealing them below archaeological remains or providing obstacles against which tephra can accumulate. As sunken-features such as pit houses and moraine spreads are more difficult to detect they are most likely under-represented in the data (Vésteinsson, 2014). If this is the case then it opens up the possibility that sites dating to just before or after the LTL may be under-represented in the data set.

Only in recent decades has the potential to use multiple tephra layers to precisely date archaeological deposits from the Icelandic colonisation period been widely recognised. While the majority of available tephra dates demonstrate a clear contrast in the number of settlements known between the pre-LTL and the post-LTL most were obtained using methodologies that do not allow further refinement of the dates. Archaeologists have been pre-occupied with the possibility that pre-LTL deposits might be identified, but they have only just begun trying to systematically collect evidence to date the colonisation as a process (e.g. Bolender et al., 2011; Vésteinsson and McGovern, 2012). The data presented here demonstrates the potential to build a much more nuanced understanding of the sequence of colonisation of Iceland, and whether it was a trickle, steady flow or torrent (Edwards, 2012). It suggests that targeting regions with early 10<sup>th</sup> century tephra would be particularly useful and that dense spatial coverage of sampling points is key to success. The majority of early tephra dates come from trenching campaigns conducted in the last 20 years (see SI Table 1). They have transformed the

distribution maps and further work is likely to clarify the picture. Improving the known geographical extent of 9<sup>th</sup> and 10<sup>th</sup> century tephtras would also help, as this would improve the number of isochrons available at specific locations. Use of either poorly defined layers (Dugmore and Newton, 2012) or cryptotephtras (Dugmore et al., 1991) could achieve this – but across much of Iceland the latter would require methodological innovations to isolate low concentrations of very fine-grained tephtras within sedimentologically-similar volcanically-derived andosols (Davies, 2015; Ponomareva et al., 2015).

#### **4. Conclusion**

Icelandic archaeology benefits from the presence of multiple tephtra layers deposited at around the time of initial settlement by the Norse and in the decades and centuries that followed. The tephtras are well-dated and have been identified at 253 archaeological sites related to settlement (84% of the known total). The recent revision of the Greenlandic ice core chronologies has improved tephrochronology in Iceland; most importantly the ages of three key tephtra isochrons have been revised: the LTL is now dated to A.D.  $877 \pm 1$ , the Eldgjá tephtra to A.D. 939 and the V-Sv tephtra to A.D.  $938 \pm 6$ . Tephtra layers that are not historically dated are therefore best referred by a name that is independent of a date, e.g. V-Sv.

The LTL allows us to confidently group archaeological sites into two periods, two from before A.D.  $877 \pm 1$  and 81 from after that date. The earliest sites are exclusively located in the southwest of Iceland. After the deposition of the LTL, continuous and large-scale settlement commenced in all inhabitable parts of the island. The identification



of the A.D.  $938 \pm 6$  V-Sv tephra in the north and the A.D. 939 Eldgjá tephra in the southwest and east allows further division of the archaeology of settlement sites into the period of Landnám as well as in the period after the Landnám.

Considerable potential exists to apply the tephrochronology of Landnám across regions where key tephra are known to exist. The isochrons defined by tephra layers provide a very effective way to constrain and quantify the timing, scale and tempo of settlement, and thus gain a better understanding of the processes driving colonisation both in Iceland and many other parts of the world affected by tephra deposition, such as the western parts of the Americas and the Pacific Rim. Methodological innovations to isolate low concentrations of very fine grained tephras within sedimentologically similar volcanically-derived andosols would allow cryptotephrochronology to further enhance both the temporal resolution and geographical extent of dating using tephra.

### **Acknowledgements**

MS was supported by the Icelandic Centre for Research (Rannís) through grant 121153-0061 and the Watanabe Trust Fund. AJD and OV acknowledge the support of the National Science Foundation of America (through grant 26 1202692 ‘Comparative Island Ecodynamics in the North Atlantic’ and grant 1249313 ‘Tephra layers and early warning signals for critical transitions’). MS thanks David Lowe for the invitation to write this article.

### **References**

- Baillie, M.G.L., 1991. Suck in and smear: two related chronological problems for the 90s. *J. Theo. Arch.* 2, 12-16.
- Baillie, M.G.L., McAneney, J., 2015. Tree ring effects and ice core acidities clarify the

- volcanic record of the first millennium. *Clim. Past* 11, 105–114. DOI:10.5194/cp-11-105-2015
- Batt, C., Schmid, M.M.E., Vésteinsson, O., 2015. Constructing chronologies in Viking Age Iceland: Increasing dating resolution using Bayesian approaches. *J. Archaeol. Sci.* 62, 1-14. <http://dx.doi.org/10.1016/j.jas.2015.07.002>.
- Benediktsson, J. (Ed.), 1968. *Íslendingabók. Landnámabók* (The Book of Icelanders. The Settlement Book). Íslensk fornrit I. Hið íslenska fornritafélag, Reykjavík, Iceland.
- Bolender, D.J., Steinberg, J.M., Damiata, B.N., 2011. Farmstead reorganization at the end of the Viking Age. Results of the Skagafjörður archaeological settlement survey. *Arch. Is.* 9, 77–101.
- Davies, S.M., 2015. Cryptotephra: the revolution in correlation and precision dating. *J. Quat. Sci.* 30, 114-130.
- Church, M., Dugmore, A., Mairs, K., Millard, A., Cook, G., Sveinbjarnardóttir, G., Ascough, P., Roucoux, K., 2007. Charcoal production during the Norse and Early Medieval periods in Eyjafjallahreppur, Southern Iceland. *Radiocarbon* 49 (2), 659-672.
- Dugmore, A. J., Newton, A., 2012. Isochrons and beyond: maximising the use of tephrochronology in geomorphology. *Jökull* 62, 39-52.
- Dugmore, A.J., Larsen, G., Newton, A.J., and Sugden, D.E. 1992. Geochemical stability of fine-grained silicic tephra layers in Iceland and Scotland. *J. Quat. Sci.* 7, 173-183.
- Dugmore, A.J., Newton, A.J., Larsen, G. and Cook, G.T., 2000. Tephrochronology, environmental change and the Norse settlement of Iceland. *Environm. Arch.* 5, 21-34.
- Edwards, K.J., 2012. Was the Peopling of Iceland a Trickle, a Steady Stream or a Deluge? *Nor. Arch. Rev.* 45 (2), 220-223. DOI:10.1080/00293652.2012.721800
- Einarsson, A., Hafliðason, H., Óskarsson, H., 1988. Lake Mývatn: palaeolimnology and tephrochronology of the Syðriflóí basin. *Nattúruvernarráð Report* 17, 96 pp.
- Eldjárn, K., 2000. *Kuml og haugfé úr heiðnum sið á Ísland*, 2<sup>nd</sup> ed. by A. Friðriksson, Reykjavík: Mál og menning.
- Erlendsson, E., Edwards, K.J. & Gísladóttir, G., 2014. Landscape Change, Land Use & Occupation Patterns Inferred from Two Palaeoenvironmental Datasets from the Mosfell Valley, SW Iceland. In: Zori, D., Byock, J. (Eds.), *Viking Archaeology in Iceland: The Mosfell Archaeological Project*, Brepols, Turnhout, 181-192.
- Grímsdóttir, G. Á. (Ed.), 1997. *Um landnám á Íslandi. Fjórtán erindi. Ráðstefnurit*, Reykjavík: Societas Scientiarum Islandica.
- Grönvold, K., Óskarsson, K., Johnsen, S.J., Clausen, H.B., Hammer, C.U., Bond, G., Bard, E., 1995. Ash layers from Iceland in the Greenland GRIP ice core correlated with oceanic and land sediments. *Earth Planet. Sci. Lett.* 135, 149–55. DOI:10.1191/095968399669624108.
- Hafliðason, H., Larsen G., Ólafsson, G., 1992. The recent sedimentation history of Þingvallavatn, Iceland. *Oikos* 64, 80-95.
- Hafliðason, H., Eiríksson, J., Kreveld, S.V., 2000. The tephrochronology of Iceland and the North Atlantic region during the Middle and Late Quaternary: a review. *J. Quaternary Sci.* 15 (1), 3-22. DOI:10.1002/(SICI)1099-1417(200001)15:1<3::AID-JQS530>3.0.CO;2-W.

- Hammer, C.U., Clausen, H.B., Dansgaard, W., 1980. Greenland ice sheet evidence of postglacial volcanism and its climatic impact. *Nature* 288, 230-235. DOI:10.1016/S0031-0182(85)80012-2.
- Hermanns-Auðardóttir, M., 1989. Islands tidiga bosättning. Studier med utgångspunkt i merovingertida-vikingatida gårdslämningar i Herjólfssdalur, Vestmannaeyjar, Island, (Studia archaeologicae Universitatis Umensis, I), Umeå.
- Jóhannesson, H., Einarsson, S., 1988. Krýsuvíkureldar I. Aldur Ögmundarhrauns og Miðaldalagsins. *Jökull* 38, 71-85.
- Lane, C.S., Cullen, V.A., White, D., Bramham-Lawa, C.W.F., Smith, V.C., 2014. Cryptotephra as a dating and correlation tool in archaeology. *J. Archaeol. Sci.* 42, 42-50.
- Larsen, G., 1982. Gjóskutímatál Jökuldals og nágrennis. In: Þórarinsdóttir, H., Óskarsson, O.H., Steinþórsson, S., Einarsson, Þ. (Eds.), *Eldur er í Norðri*. Sögufelag: Reykjavík, 51-65.
- Larsen, G., 1984. Recent volcanic history of the Veidivötn fissure swarm, southern Iceland – an approach to volcanic risk assessment. *J. Volcanol. Geotherm. Res.* 22, 33-58.
- Larsen, G. 2000. Holocene eruptions within the Katla volcanic system, south Iceland: characteristics and environmental impact. *Jökull* 49, 1-28.
- Larsen, G., Þórarinsson, S., 1977. H4 and other acidic Hekla tephra layers. *Jökull* 27, 28-46.
- Larsen, G., Dugmore, A.J., Newton, A. 1999. Geochemistry of historical-age silicic tephra in Iceland. *The Holocene* 1999 (9), 463-471. DOI: 10.1191/095968399669624108.
- Larsen, G., Newton, A.J., Dugmore, A.J., Vilmundardóttir, E., 2001. Geochemistry, dispersal, volumes and chronology of Holocene silicic tephra layers from the Katla volcanic system. *J. Quat. Sci.* 16 (2), 119-132.
- Lowe, D.J., 2011. Tephrochronology and its application: A review. *Quat. Geochronol.* 6 (2), 107-153.
- Lowe, D.J., Hunt, J.B. 2001. A summary of terminology used in tephra-related studies. In: Juvigne, E.T., Raynal, J-P. (Eds.), *Tephra: Chronology, Archaeology, CDERA.D. editeur, Gaudet. Les Dossiers de l'Archeo-Logis* 1, 17-22.
- Lowe, D. J., Alloway, B. V., 2015. Tephrochronology. In: Rink, W.J., Thompson, J.W. (Eds.), *Encyclopaedia of Scientific Dating Methods*. Springer, Dordrecht, 783-799. DOI:10.1007/978-94-007-6304-3\_19.
- Lowe, D.J, Newnham, R.M, McFadgen, B.G. Higham, T.F.G. 2000. Tephra and New Zealand archaeology. *J. Arch. Sci.* 27, 859-870.
- Lucas, G., 2009. Hofstaðir. Excavations of a Viking Age Feasting Hall in North-eastern Iceland. *Fornleifastofnun Íslands, Reykjavík*.
- Newton, A., 2008. Report on FSI tephra samples. Unpublished report, Institute of Archaeology.
- Nordahl, E., 1988, *Reykjavík from the Archaeological Point of View*, Societas Archaeologica Upsaliensis, Uppsala.
- McGovern, T.H., Vésteinsson, O., Friðriksson, A., Church, M.J., Lawson, I., Simpson, I.A., Einarsson, Á., Dugmore, A., Perdikaris, G.C., Edwards, K., Thomson, A.M., Adderley, A., Newton, A., Lucas, G., Aldred, O., 2007. Landscapes of

- settlement in Northern Iceland: historical ecology of human impact and climate fluctuation on the millennial scale. *Am. Anthropol.* 109 (1), 27-51.
- Óladóttir, B. A., Sigmarsson, O., Larsen, G., and Thordarson, T., 2008. Katla volcano, Iceland: magma composition, dynamics and eruption frequency as recorded by Holocene tephra layers. *Bulletin of Volcanol.* 70 (4), 475-493.
- Ponomareva, E., Portnyagin, M., Davies, S., 2015. Tephra without borders: Far-reaching clues into past explosive eruptions. *Front. Earth Sci.* 3:83. doi:10.3389/feart.2015.00083.
- Riede, F., Thastrup, M.B., 2013. Tephra, tephrochronology and archaeology – a (re-)view from Northern Europe. *Heritage Sci.*, 1:15, 1-17.
- Roberts, H.M., Snæsdóttir, M., Mehler, N., Vésteinsson, O., 2003. Skáli frá víkingaöld í Reykjavík. *Árbók hins íslenska fornleifafélags* 2000-2001, 219-34.
- Schmid, M.M.E. Dating Viking Age Iceland – A Comprehensive Reassessment. Ph.D. thesis. University of Iceland (forthcoming).
- Sigl., M., Winstrup, M., McConnell, J.R., Welten, K.C., Plunkett, G., Ludlow, F., Büntgen, U., Caffee, M., Chellman, N., Dahl-Jensen, D., Fischer, H., Kipfstuhl, S., Kostick, C., Maselli, O.J., Mekhaldi, F., Mulvaney, R., Muscheler, R., Pasteris, D.R., Pilcher, J.R., Salzer, M., Schüpbach, S., Steffensen, J.P., Vinther, B.M., Woodruff, T.E., 2015. Timing and climate forcing of volcanic eruptions for the past 2,500 years, 543-562. *Nature* 523. DOI:10.1038/nature14565.
- Sigurðsson, H., 1982. Útbreiðsla íslenskra gjóskulaga á botni Atlantshafs. In: Þórarindóttir H., Oskarsson O.H., Steinþórsson, S., Einarsson, Þ., (Eds.), *Eldur er í norðri*. Sögufélag: Reykjavík, 119–127.
- Sigurgeirsson, M.Á., 1995. Miðaldalagið. In: Hróarsson, B., Jónsson, D., Jónsson, S.S., (Eds.), *Eyjar í eldhafi. Afmælisrit tileinkað Jóni Jónssyni jarðfræðingi*. Gott mál, Reykjavík, 189-198.
- Sigurgeirsson, M. Á., 2001. Greinargerðum gjóskulög. In: Vésteinsson, O. (Ed.), *Archaeological investigations at Sveigakot, 1998-2000*, 39-42.
- Sigurgeirsson, M.Á., 2010. Archaeological research in Skagafjörður, summer 2009. Tephra layers. Report 2010/01, 7.
- Sigurgeirsson, M.Á., 2014. Archaeological Investigation at Hrísbú, section 7. In: Zori, D., Byock, J. (Eds.), *Viking Archaeology in Iceland*. Mosfell Archaeological Project. Brepols Publishers, Turnhout, 45–46.
- Sigurgeirsson, M.Á., Hauptfleisch, U., Newton, A., Einarsson, Á., 2013. Dating of the Viking Age landnám tephra sequence in Lake Mývatn sediment, North Iceland. *J. North Atlantic* 21, 1-11.
- Streeter R.T., Dugmore A.J., 2014. Late-Holocene land surface change in a coupled social-ecological system, southern Iceland: a cross-scale tephrochronology approach. *Quat. Sci. Rev.* 86, 99-114.
- Sveinbjarnardóttir, G., 2012a. The Earliest Settlement of Iceland. *Nor. Arch. Rev.* 45 (2), 225-227. DOI:10.1080/00293652.2012.721799.
- Sveinbjarnardóttir, G., 2012b. Reykholt. Archaeological Investigations at a High Status Farm in Western Iceland. Reykjavík: Þjóðminjasafn Íslands & Snorrastofa.
- Sveinbjörnsdóttir, Á.E., Heinemeier, J., Guðmundsson, G., 2004. <sup>14</sup>C Dating of the Settlement of Iceland. *Radiocarbon* 46 (1), 387-394.
- Sveinbjörnsdóttir, Á.E., Ramsey, C.B., Heinemeier, J., 2016, The Settlement Date of

- Iceland Revisited: Evaluation of 14C Dates from Sites of Early Settlers in Iceland by Bayesian Statistics. *Radiocarbon* 58 (2), 235-245.
- Theodórsson, P., 1998. Norse Settlement of Iceland – close to A.D. 700? *Nor. Arch. Rev.* 31, 29-38.
- Theodórsson, P., 2009. Upphaf landnáms á Íslandi 670 A.D. Var Ari fróði sannfróður? *Skírnir* 183, 261-80.
- Theodórsson P., 2012. Kolefni-14 aldursgreiningar í íslenskri fornleifafræði. Raunvísindastofnun Háskólans. RH-02-2012.
- Vésteinsson, O., 2014. Shopping for Identities: Norse and Christian in the Viking Age North Atlantic. *Conversion and Identity in the Viking Age*, edited by Ildar Garipzanov, with assistance of Rosalind Bonté (Turnhout: Brepols), 75-91.
- Vésteinsson, O., McGovern, T., 2012. The peopling of Iceland. *Nor. Arch. Rev.* 45 (2), 206-218.
- Vilhjálmsson, V., 1991. The application of dating methods in Icelandic archaeology. *Acta Arch.* 61, 97-107.
- Vinther, B.M., Clausen, H.B., Johnsen, S.J., Rasmussen, S.O., Andersen, K.K., Buchardt, S.L., Dahl-Jensen, D., Seierstad, I.K., Siggaard-Andersen, M.-L., Steffensen, J.P., Svensson, A., Olsen, J., Heinemeier, J. 2006. A synchronized dating of three Greenland ice cores throughout the Holocene. *Journal of Geophysical Research* 111. Doi:10.1029/2005JD006921.
- Zielinski, G.A., Germani, M.S., Larsen, G., Baille, M.G.L., Whitlow, S., Twickler, M.S., Taylor, K., 1995. Evidence of the Eldgjá (Iceland) eruption in the GISP2 Greenland ice core: relationship to eruption processes and climatic conditions in the tenth century. *The Holocene* 5, 129–140. Doi: 10.1177/095968369500500201.
- Zielinski, G.A., Germani, M.S., Larsen, G., Baille, M.G.L., Whitlow, S., Twickler, M.S., Taylor, K.C., 1997. Volcanic aerosol records and tephrochronology of the Summit, Greenland, ice cores. *J. Geophys. Res.* 102 C12, 26625–40. Doi: 10.1029/96JC03547.
- Zoëga, G., Gunnarsson, K., Pálsson, H., 2013. Eyðibýggð og afdalir Skagafjarðar VII – byggðasöguleg fornleifarannsókn. Byggðasafn Skagfirðinga – Rannsóknaskýrslur 2013/139.
- Pórarinsson, S., 1944. Tefrokronologiska studier på Island: Þjórsárdalur och dess förödelse. Thesis (doctoral) – Stockholms Högskola.
- Pórarinsson, S., 1952. Tvöfaldar jaðarurðir í Kangerdlugssuak. *Jökull* 2, 8-9.
- Pórarinsson, S., 1954. Athuganir á Skeiðarárhlaupi og Grímsvötnum 1954 (Abstract: The jökulhlaup [glacier burst] from Grímsvötn in July 1954). *Jökull* 4, 34-37.
- Pórarinsson, S., 1956. On the variations of Svínafellsjökull and Skaftafellsjökull in Öræfi. *Jökull* 6: 1-15. Vatnajökulsleiðangurinn 1956 (Summary: The Vatnajökull expedition in May 1956). *Jökull* 6, 38-46.
- Pórarinsson, S., 1957. The Jökulhlaup from the Katla Area in 1955. *Jökull* 7, 21-25.
- Pórarinsson, S., 1958. The Öræfajökull eruption of 1362. *Acta Nat. Is.* 2, 1–99.
- Pórarinsson, S., 1967. The eruptions of Hekla in historical times. In: *The Eruption of Hekla 1947–1948*, Vol. I. Societas Scientiarum Islandica, Reykjavík, 1-183.
- Pórarinsson, S., 1976. Gjóskulög og gamlar rústir. *Árbók hins íslenska fornleifafélags*, 5-38.
- Pórarinsson, S., 1977. Jarðvísindi og Landnáma. In: *Sjötíu ritgerðir, helgaðar Jakobi*

- Benediktssyni. Reykjavík: The Árni Magnússon Institute, 665-676.
- Pórarinnsson, S., 1981a. Greetings from Iceland. Ash-Falls and Volcanic Aerosols in Scandinavia. *Geografiska Annaler. Series A, Phys. Geogr.* 63 (3/4), 109-118.
- Pórarinnsson, S., 1981b. Tephra studies and tephrochronology: a historical review with special reference to Iceland. In: Self, S., Sparks, R.S.J., (Eds.), *Tephra Studies*. Springer Netherlands, 1-12.

## Highlights

- Icelandic tephra isochrons permit a countrywide comparison of 253 archaeological sites
- The LTL is revised to A.D.  $877 \pm 1$ , the Eldgjá tephra to A.D. 939, the V-Sv tephra to A.D.  $938 \pm 6$
- The LTL, Eldgjá and V-Sv tephtras allow a periodization of Iceland's colonization
- The archaeological periods are: pre-Landnám (pre-877), Landnám (877-939), post-Landnám (939-1104)

## Figures

**Fig. 1:** The distribution of 300 settlement sites considered in this study. 85% sites are dated by tepha layers (n=253).

**Fig. 2:** The preservation of the LTL and V-Sv tephras in situ below a structure at Sveigakot, Mývatnsveit in northern Iceland (picture: Anthony Newton).

**Fig. 3:** V-Sv tephra in situ below the wall of a hall at Hofstaðir, as well as in turf of the wall (reconstruction after Lucas 2009).

**Fig. 4A:** The preservation of the LTL at Langanes in southwestern Iceland. 'T' points to the white silicic Torfajökull component (discontinuous) and 'V' points to the olive-green basaltic Veidivötn component.

**Fig. 4B:** Isopach map of the silicic and basaltic components of LTL (after Larsen, 1984).

**Fig. 4C:** Isopach map of the Eldgjá tephra in southern Iceland. M= Mýrdalsjökull; (K)= Katla; V=Vatnajökull (after Larsen, 2010).


**Fig. 5:** The number of Viking age settlements whose periods can be defined by tephrochronology (n=253).


**Fig. 6A:** The periodization of Viking Age settlement sites in Iceland. Pre-Landnám (A.D. pre-877; n=2); **B.** Landnám (A.D. 877-939; n=14); **C.** Post-Landnám (A.D. 939-1104; n=47).

**Fig. 7:** The periodization of Viking Age settlement sites in Iceland: Viking age (A.D. c. 800-1100; n=97).



Figure 1





**Structure**

**V-Sv**

**LTL**

**Figure 2**




Figure 3






Figure 4A

Figure 4B








Figure 5

Figure 6A






Figure 6B




Figure 6C





Figure 7



**Table 1:** Tephrochronological record in Iceland.

Name of tephra layer	Origin (volcanic system)	Year A.D.	References
<b>LTL</b> [VIIa, VIIb]	Veiðivötn	877 ± 1	Haflidason et al., 1992; Grönvold et al., 1995; Zielinski et al., 1997; Larsen et al., 1999; this study
<b>K~920</b> [Katla-R]	Katla	~920	Haflidason et al., 1992
<b>Eldgjá</b> [K~1000]	Katla	939	Hammer et al., 1980; Larsen, 1984; Haflidason et al., 1992; Zielinski et al., 1995; Sigl et al., 2015; this study
<b>V-Sv</b> [V~950, V~940]	Veiðivötn	938 ± 6	Sigurgeirsson, 2001; Sigurgeirsson et al., 2013; this study
<b>Vj</b>	Veiðivötn	~1000	Sigurgeirsson, 2010
<b>H-1104</b> [H1]	Hekla	1104	Þórarinnsson, 1967; Larsen and Þórarinnsson, 1977; Larsen et al., 1999; Sigurðsson, 1982; Haflidason et al., 2000
<b>H-1158</b>	Hekla	1158	Þórarinnsson, 1967; Einarsson et al., 1988; Larsen et al., 1999
<b>V-1159</b>	Veiðivötn	1159	Einarsson et al., 1988; Haflidason et al., 2000
<b>H-1206</b>	Hekla	1206	Þórarinnsson, 1967
<b>R-1226</b> [‘R-9’]	Reykjaneshryggur	1226	Haflidason et al., 1992; Sigurgeirsson, 1995
<b>K-1262</b>	Katla	1262	Larsen, 1982; Streeter and Dugmore, 2014
<b>H-1300</b>	Hekla	1300	Þórarinnsson, 1967; Einarsson et al., 1988; Haflidason et al., 2000
<b>H-1341</b>	Hekla	1341	Þórarinnsson, 1967; Larsen et al., 1999
<b>Ö-1362</b>	Öræfajökull	1362	Þórarinnsson, 1958; Sigurðsson, 1982
<b>V~1410</b>	Veiðivötn	1410	Larsen, 1982; Haflidason et al., 2000
<b>V~1477</b> [‘a’]	Veiðivötn	~1477	Þórarinnsson, 1958; 1976; Larsen, 1982; 1984; Haflidason et al., 2000
<b>K~1500</b>	Katla	~1500	Haflidason et al., 1992
<b>H-1693</b>	Hekla	1693	Þórarinnsson, 1967

**Table 2:** Tephrochronological record of archaeological sites.

Tephra dates	South west	North	East	North west	No. of sites
Pre-LTL	2	-	-	-	2
Post-LTL	10	2	2	5	19
Between LTL and K~920/Eldgjá	1	-	1	-	2
Between LTL and V-Sv	-	7	-	-	7
Between LTL and Vj	-	5	-	-	5
Between LTL and H-1104/H-1158	5	17	2	-	24
Between LTL and R-1226	8	-	-	-	8
Between LTL and H-1262	-	1	-	-	1
Between LTL and H-1300	-	5	-	-	5
Between LTL and H-1341	2	-	-	-	2
Between LTL and Ö-1362	-	-	2	-	2
Between LTL and V-1477	-	1	-	-	1
Between LTL and H-1500	3	-	-	-	3
Between LTL and H-1693	2	-	-	-	2
Between K~920 and Eldgjá	1	-	-	-	1
Pre- Eldgjá	1	-	3	-	4
Between Eldgjá and H-1104	3	1	-	-	4
Between Eldgjá and H-1206	-	-	7	-	7
Between Eldgjá and K-1341	6	-	-	-	6
Between Eldgjá and V~1477	-	1	-	-	1
Post- V-Sv	-	1	-	-	1
Between V-Sv and Vj	-	6	-	-	6
Between V-Sv and H-1104/H-1158/V-1159	-	26	1	-	27
Between V-Sv and K-1262	-	1	-	-	1
Between V-Sv and H-1300	-	18	-	-	18
Between V-Sv and Ö-1362	-	-	1	-	1
Between V-Sv and V-1410	-	1	-	-	1
Between V-Sv and V~1477	-	12	-	-	12
Pre-Vj	-	7	-	-	7
Between Vj and H-1104	-	12	-	-	12
Pre-H-1104/H-1158	2	38	21	-	61
<hr/>					
<b>LTL</b>	<b>33</b>	<b>38</b>	<b>7</b>	<b>5</b>	<b>83</b>
<b>Eldgjá</b>	<b>11</b>	<b>2</b>	<b>10</b>	<b>-</b>	<b>23</b>
<b>V-Sv</b>	<b>-</b>	<b>65</b>	<b>2</b>	<b>-</b>	<b>67</b>
<b>Vj/H-1104/H-1158</b>	<b>2</b>	<b>57</b>	<b>21</b>	<b>-</b>	<b>80</b>
<b>Recorded tephra</b>	<b>46</b>	<b>162</b>	<b>40</b>	<b>5</b>	<b>253</b>

**SI Table 1.** Viking Age settlements whose periods can be defined by tephrochronology (n=253). The archaeological sites are grouped into six periods. Period 1: pre-Landnám (A.D. pre-877); period 2: Landnám (A.D. 877-939); period 3: post-Landnám (A.D. 939-1104); period 4: Viking Age (A.D. c. 800-1100); period 5: potential Viking Age (A.D. 877-1693) and period 6: potential post-Landnám (A.D. 939-1693).

Period	Site name	Region	Tephra post-	Tephra pre-	References
1	Húshólmi	SW	/	LTL	Jóhannesson & Einarsson 1988, 83
1	Reykjavík	SW	/	LTL	Roberts et al. 2003, 224-225; Sigurgeirsson 2001b, 103-104
2	Hrísbrú	SW	LTL	K~920/Eldgjá	Byock and Zori, 7
2	í Geirlandsheiði	E	LTL	Eldgjá	Einarsson 2008b, 8-9
2	Beinisstaðir	N	LTL	V-Sv	Vésteinsson 2011, 23-24; Sigurgeirsson 2008a, 47; 2011, 76
2	Gautlandasel	N	LTL	V-Sv	Vésteinsson 2011, 45-47; Sigurgeirsson 2011, 75-76
2	Hrísheimar	N	LTL	V-Sv	Sigurgeirsson 2008a, 47; 2011, 76
2	Skútustaðir	N	LTL	V-Sv	Edwald & McGovern 2009, 6-7
2	Sveigakot	N	LTL	V-Sv	Sigurgeirsson 2001c, 39-40
2	Þorleifsstaðir	N	LTL	V-Sv	Sigurgeirsson 2008a, 46-49
2	Þyrilskot	N	LTL	V-Sv	Vésteinsson 2011, 11; Sigurgeirsson 2011, 73
2	Fagridalur	E	K~920	Eldgjá	Guðmundsson et al. 2004, 94-98
2	Mosholt	E	/	Eldgjá	Hreiðarsdóttir et al. 2014, 39-40
2	Sámsstaðir	SW	/	Eldgjá	Rafnsson 1977, 90
2	"Sólheimar"	E	/	Eldgjá	Einarsson 2008b, 7-8
2	við Kóragil	E	/	Eldgjá	Hreiðarsdóttir et al. 2014, 42
3	Hraunþúfuklaustur	N	Eldgjá	H-1104	Þórarinnsson 1977, 33
3	Hrunakrókur	SW	Eldgjá	H-1104	Ólafsson 2010, 4-5, 12
3	Skallakot	SW	Eldgjá	H-1104	Þórarinnsson 1943, 32-35; Hansen & Vésteinsson 2002, 11; Sigurgeirsson 2002a, 32-33
3	Stöng	SW	Eldgjá	H-1104	Þórarinnsson 1943, 38-40; Vilhjálmsson 1989, 88-89
3	Holtsmúli	N	V-Sv	Vj	Steinberg et al. 2009a, 3
3	Kjartansstaðir	N	V-Sv	Vj	Steinberg et al. 2009b, 3; Sigurgeirsson 2010a, 3
3	Litla Gröf	N	V-Sv	Vj	Steinberg et al. 2009c, 3; Sigurgeirsson 2010a, 4
3	Meðalheimur	N	V-Sv	Vj	Steinberg & Shepard 2007, 2; Steinberg et al. 2009f, 3
3	Stóra Gröf, Ytri	N	V-Sv	Vj	Sigurgeirsson 2010a, 3
3	Stóra Seyla	N	V-Sv	Vj	Sigurgeirsson 2010a, 2
3	Brenna	N	V-Sv	H-1104	Vésteinsson 2004b, 50-53; Sigurgeirsson 2002b, 2

3	Einirlækur	N	V-Sv	H-1104	Sveinbjarnardóttir 1992, 158
3	Hali	N	V-Sv	H-1104	Einarsson & Sigurgeirsson 1996
3	Hamar 2	N	V-Sv	H-1104	Hreiðarsdóttir 2010, 24; Sigurgeirsson 2010b, 36
3	Helgastaðir	N	V-Sv	H-1104	Vésteinsson et al. 2014, 53
3	Hofstaðir í Mývatnsveit	N	V-Sv	H-1104	Lucas 2009, 56-57
3	Hólar	N	V-Sv	H-1104	Traustadóttir et al. 2002, 23-24
3	Húsatóftir	N	V-Sv	H-1104	Sveinbjarnardóttir 1992, 160
3	Naust	N	V-Sv	H-1104	Sigurgeirsson 2008b, 38-41
3	Pálstóftir	E	V-Sv	H-1104	Lucas 2007, 14
3	Raufarhóll	N	V-Sv	H-1104	Vésteinsson 2012, 11-12; Sigurgeirsson 2012b, 66
3	Skógar	N	V-Sv	H-1104	Sigurðarson & Zoëga, 2013, 40; Sigurgeirsson 2013, 1-4.
3	Steindyr	N	V-Sv	H-1104	Hreiðarsdóttir 2010, 20; Sigurgeirsson 2010b, 35-36
3	Girðingar	N	V-Sv	H-1104/1158	Vésteinsson 2011, 25; Sigurgeirsson 2011, 77-78
3	Grasaskarð	N	V-Sv	H-1104/1158	Vésteinsson 2011, 54-55
3	Mýnesás	N	V-Sv	H-1104/1158	Vésteinsson 2011, 30-31; Sigurgeirsson 2011, 77
3	Sellandasel	N	V-Sv	H-1104/1158	Vésteinsson 2011, 49-51
3	Víðatóft	N	V-Sv	H-1104/1158	Vésteinsson 2011, 20-21; Sigurgeirsson 2011, 74-75
3	við Kleifarhólma	N	V-Sv	H-1104/1158	Vésteinsson 2011, 34-35; Sigurgeirsson 2011, 77
3	Hallskot	N	V-Sv	H-1158	Vésteinsson 2011, 16-17; Sigurgeirsson 2011, 74
3	Narfastaðir	N	V-Sv	H-1158	Sigurgeirsson 2005a, 41
3	Nes	N	V-Sv	H-1158	Sigurgeirsson 2005a, 40-41
3	Oddastaðir	N	V-Sv	H-1158	Sigurgeirsson 2002b, 2; Vésteinsson 2004c, 63-66
3	Steinbogi	N	V-Sv	H-1158	Sigurgeirsson 2003b, 40-42
3	Þrælagerði	N	V-Sv	H-1158	Ævarsson 2009, 16
3	Þverá í Laxardal	N	V-Sv	H-1158	Sigurgeirsson 2005a, 41
3	Hóll á Hólsfjöllum	N	V-Sv	H-1158/V-1159	Ævarsson 2009, 6
3	Fossabrekkur	N	Vj	H-1104	Zoëga et al. 2009, 12-13
3	Glaumbær	N	Vj	H-1104	Bolender, 2005, 11
3	Gljúfurárgerði	N	Vj	H-1104	Zoëga et al. 2009, 7-8
3	Grófargil	N	Vj	H-1104	Steinberg & Bolender 2004, 117
3	Hólakot 1	N	Vj	H-1104	Zoëga et al. 2009, 6
3	Halldórsstaðir	N	Vj	H-1104	Steinberg 2008, 3
3	Hamar 1	N	Vj	H-1104	Sigurðarson 2014, 23-25
3	Hæringsbúðir	N	Vj	H-1104	Zoëga et al. 2014, appendix 1-2
3	í Austurdal	N	Vj	H-1104	Zoëga 2007, 18-20
3	Ingimundarhóll	N	Vj?	H-1104	Ólafsson 2013a, 6
3	Keldudalur	N	Vj	H-1104	Zoëga 2006, 4
3	Unastaðasel	N	Vj	H-1104	Zoëga et al. 2014, appendix 1-2

4	Fagrahlíð	N	LTL	Vj	Zoëga 2007, 24-26
4	Marbæli	N	LTL	Vj	Steinberg et al. 2007, 2
4	Stóra Gröf	N	LTL	Vj	Steinberg et al. 2009e, 4-5
4	Torfgarður	N	LTL	Vj	Bolender et al. 2008, 10-11
4	Tungukot	N	LTL	Vj	Zoëga 2007, 5-7
4	Bjarnastaðir í Unadal	N	/	Vj	Zoëga et al. 2014, 18-21
4	Kappastaðir	N	/	Vj	Zoëga et al. 2016, 38, Appendix, 6
4	Litli-Bakki	N	/	Vj	Zoëga et al. 2016, 38, Appendix, 11
4	Páfastaðir	N	/	Vj	Steinberg et al. 2009d, 4; Sigurgeirsson 2010a, 2-3
4	Reynistaður	N	/	Vj	Steinberg & Bolender 2004, 117
4	Reynistaður, Langhúshóll	N	/	Vj	Bolender et al. 2011, 82
4	Syðra-Skörðugil	N	/	Vj	Steinberg et al. 2005, 3-5
4	Efra-Gjáholt	N	LTL	H-1104	Zoëga et al. 2009, 22
4	Flatatunga	N	LTL	H-1104	Zoëga et al. 2014, 33-34
4	Garðhús	N	LTL	H-1104	Zoëga et al. 2009, 23-26
4	Gjáskógar	SW	LTL	H-1104	Eldjárn 1961, 16
4	Grjótgerði í Víðinesi	N	LTL	H-1104	Zoëga et al. 2009, 40-42
4	Hof	N	LTL	H-1104	Carter & Traustadottir, 2012, 12
4	Hvítárholt	SW	LTL	H-1104	Magnússon 1972, 25, 57
4	Öxnadalshéiði - Skógarnes	N	LTL	H-1104	Vésteinsson 2013, 23-25
4	Risamýri	N	LTL	H-1104	Zoëga & Pálsson 2008, 12-14
4	Rógshólar	SW	LTL	H-1104	Þórarinnsson 1949, 58
4	Skeljastaðir	SW	LTL	H-1104	Þórarinnsson 1943, 38
4	Skuggi	N	LTL	H-1104	Harrison & Roberts, 2014, 15
4	Sólheimar	N	LTL	H-1104	Zoëga et al. 2016, 38, Appendix, 9
4	Stórhólshlíð	SW	LTL	H-1104	Þórarinnsson 1943, 37-38
4	Svartárkot	N	LTL	H-1104	Vésteinsson 2004e, 54-55; Vésteinsson et al. 2014, 49-50
4	Vatnsleysa	N	LTL	H-1104	Zoëga et al. 2016, 38, Appendix, 13
4	Granastaðir	N	LTL or V-Sv	H-1104	Einarsson 1995, 92, 101; Magnús Sigurgeirsson pers. com.
4	Enni	N	/	H-1104	Zoëga et al. 2014, 35
4	Fjall	N	/	H-1104	Zoëga et al. 2016, 38, Appendix, 7
4	Geirmundarhólar	N	/	H-1104	Zoëga et al. 2016, 38, Appendix, 2
4	Geitakofahóll	N	/	H-1104	Zoëga et al, 2009, 43-44
4	Illugastaðir	N	/	H-1104	Zoëga et al. 2016, 38, Appendix, 10
4	Hlíð	SW	/	H-1104	Magnússon 1972, 6
4	Hofgarðar	N	/	H-1104	Þórarinnsson 1977, 20
4	Horngarðar	N	/	H-1104	Þórarinnsson 1977, 20; Vésteinsson et al. 2014, 49
4	Hrappsá	N	/	H-1104	Zoëga et al. 2013a, 17-22
4	Kaldárkot	N	/	H-1104	Zoëga, 2011, 9-11
4	Kolgrímsstaðir	N	/	H-1104	Sveinbjarnardottir, 1992, 169
4	Kot í landi Stafns	N	/	H-1104	Zoëga et al. 2013a, 23-28;



					Zoëga et al. 2014, 5-8
4	Lækur	N	/	H-1104	Zoëga 2011, 12-16
4	Málmey	N	/	H-1104	Zoëga et al. 2013b, 35
4	Markúsarhóll	N	/	H-1104	Zoëga et al. 2009, 9-10
4	Miðklif	N	/	H-1104	Sveinbjarnardóttir 1992, 170
4	Neðri-Ás	N	/	H-1104	Vesteinsson 1998, 17-18
4	Nýlendi	N	/	H-1104	Zoëga et al. 2013a, 33-35
4	Oddsstaðir	N	/	H-1104	Harrisson 2010, 27
4	Place in Helgustaðir	N	/	H-1104	Zoëga et al. 2016, 38, Appendix, 1
4	Róðhóll	N	/	H-1104	Zoëga et al. 2016, 38, Appendix, 1
4	Siglunes	N	/	H-1104	Lárusdóttir et al. 2012; Sigurgeirsson 2012c, 37-38
4	Sjöundastaðir	N	/	H-1104	Zoëga et al. 2016, 38,
4	Skálárkot	N	/	H-1104	Zoëga et al. 2016, 38, Appendix, 8
4	"skáli"/Skálársel	N	/	H-1104	Zoëga et al. 2016, 38
4	Skógargerði	N	/	H-1104	Zoëga et al. 2016, 38, Appendix, 4
4	Spáná	N	/	H-1104	Zoëga et al. 2013a, 12-14
4	Stórhóll	N	/	H-1104	Zoëga & Gunnarsson 2013, 10-12
4	Straðatunga	N	/	H-1104	Harrison & Roberts, 2014, 17
4	Tjarnarkot	N	/	H-1104	Zoëga et al. 2016, 38, Appendix, 5
4	Víðines	N	/	H-1104	Zoëga 2011, 20
4	við Grindilskrók	N	/	H-1104	Zoëga et al. 2016, 38
4	Þórarinsstaðir	SW	/	H-1104	Þórarinsson 1949, 49, 53-54
4	Þrastarstaðir	N	/	H-1104	Zoëga et al. 2014, 31
4	Þrælsgerði	N	/	H-1104	Zoëga et al. 2014, 29-30
4	Þverá í Hrolleifsdal	N	/	H-1104	Zoëga et al. 2016, 38, Appendix, 2
4	Ytri-Heljará	N	/	H-1104	Zoëga et al. 2009, 36-38
4	Selhagi	N	LTL	H-1104/1158	McGovern & Perdikaris 2016, 2
4	Gautlönd	N	/	H-1104/1158	Vésteinsson 2013, 7-8
4	við Víðiker	N	/	H-1104/1158	Vésteinsson 2004d, 80-83
4	Bakkastaðir	E	LTL	H-1158	Rafnsson 1990, 38-39
4	Hamrar	N	LTL	H-1158	Aldred et al. 2007, 8
4	Hamrar, Helgastaðir & Pálmholt 2	N	LTL	H-1158	Aldred et al. 2007, 8
4	innan við Faxagil	E	LTL	H-1158	Rafnsson 1990, 64-65
4	Rauðaskriða 1	N	LTL	H-1158	Aldred et al. 2007, 8
4	Þegjandadalur 2	N	LTL	H-1158	Aldred et al. 2007, 8
4	Aðalból	E	/	H-1158	Rafnsson 1990, 54-55
4	á Vesturdal	E	/	H-1158	Rafnsson 1990, 85
4	Blesatangi	E	/	H-1158	Rafnsson 1990, 61
4	Breiðavík	N	/	H-1158	Sigurgeirsson 2001a, 33-35
4	Dyngja	E	/	H-1158	Rafnsson 1990, 91
4	Geithús	E	/	H-1158	Rafnsson 1990, 83
4	Glúmsstaðasel	E	/	H-1158	Rafnsson 1990, 68
4	Hringur	E	/	H-1158	Rafnsson 1990, 84
4	Hústóft	E	/	H-1158	Rafnsson 1990, 51

4	í Mógilshálsi	E	/	H-1158	Rafnsson 1990, 42
4	innan við Faxahús	E	/	H-1158	Rafnsson 1990, 61
4	Laugarhús	E	/	H-1158	Rafnsson 1990, 57
4	Orrustustaðir	E	/	H-1158	Rafnsson 1990, 77
4	Skál	E	/	H-1158	Rafnsson 1990, 42
4	Steingrímsstaðir	E	/	H-1158	Rafnsson 1990, 80
4	Steinsgróf	E	/	H-1158	Rafnsson 1990, 76
4	Tobbhóll	E	/	H-1158	Rafnsson 1990, 53
4	undir Smjörtungufelli	E	/	H-1158	Rafnsson 1990, 55
4	Vaðbrekka	E	/	H-1158	Rafnsson 1990, 45
4	Þórisstaðir	E	/	H-1158	Rafnsson 1990, 50
4	Þrándarstaðir	E	/	H-1158	Rafnsson 1990, 49
4	Þuríðarstaðasel	E	/	H-1158	Rafnsson 1990, 66
5	Borg	SW	LTL	/	Davide Zori pers. com.
5	Broddaskáli	E	LTL	/	Sveinbjarnardóttir 1992, 64-67
5	Eiríksstaðir	N W	LTL	/	Ólafsson 1998, 17
5	Gilsbakki	N W	LTL	/	Smith 2008, 25
5	Göltur	SW	LTL	/	Ólafsson 2014, 5
5	Hallmundarhellir	N W	LTL	/	Jóhannesson 1989, 6
5	Helgadalur	SW	LTL	/	Zori & Byock, 2014, 68
5	Herjólfssdalur	SW	LTL	/	Hermanns-Auðardóttir 1989, 49
5	Hjálmssstaðir	SW	LTL	/	Ólafsson 1992, 49
5	Hólmur	E	LTL	/	Einarsson 2008a, 170
5	Kálfaströnd	N	LTL	/	Einarsson 2012b, 6
5	Klausturhús	N	LTL	/	Harrison 2013, 398
5	Kópsvatn	SW	LTL	/	Ólafsson 1999, 5, 8
5	Reykholt	SW	LTL	/	Sveinbjarnardóttir 2012
5	Spöngin	SW	LTL	/	Sigurðsson 2005b, 20-21
5	Surtshellir	N W	LTL	/	Ólafsson et al. 2004, 20
5	Víðgelmir	N W	LTL	/	Ólafsson 2011, 10
5	Þjótandi	SW	LTL	/	Einarsson & Einarssdóttir 2008, 1-3; Einarsson & Csillag, 2011, 311-312
5	Þorleifshaugur	SW	LTL	/	Friðriksson et al. 2005, 13-14
5	Bessastaðir	SW	LTL	R-1226	Ólafsson 2013b, 8-9
5	Bygggarðsvör	SW	LTL	R-1226	Hermanns-Auðardóttir 2005, 50-52
5	Heynes	SW	LTL	R-1226	Friðriksson 1991, 9-10, 20
5	Hofsstaðir í Garðabær	SW	LTL	R-1226	Traustadóttir 1995; Sigurðsson 1999 unpublished report
5	Leirvogstunga	SW	LTL	R-1226	Zori & Byock, 2014, 67
5	Urriðakot	SW	LTL	R-1226	Traustadóttir et al. 2010, 9, 134
5	Þingnes by Elliðavatn	SW	LTL	R-1226	Ólafsson 2004, 69-70
5	Vogur í Höfnum	SW	LTL	R-1226	Einarsson 2013a, 25

5	Þverá	N	LTL	K-1262	Edvardsson & Hreiðarsdóttir 2003, 15-19
5	Hamrar, Helgastaðir & Pálmholt 1	N	LTL	H-1300	Aldred et al. 2007, 8
5	Rauðaskriða 2	N	LTL	H-1300	Aldred et al. 2007, 8
5	Þegjandadalur 1	N	LTL	H-1300	Aldred et al. 2007, 8
5	Þegjandadalur 3	N	LTL	H-1300	Aldred et al. 2007, 8
5	Ytra-Skörðugil	N	LTL	H-1300	Steinberg et al. 2005, 6-8
5	Háls	SW	LTL	H-1341	Kevin Smith pers. com.
5	Syðsta Mörk (REU 18)	SW	LTL	H-1341	Church et al. 2007, 663
5	Geirsstaðir	E	LTL?	Ö-1362	Kristjánsdóttir 1998, 32
5	Mjóeyri	E	LTL	Ö-1362	Einarsson et al. 2008, 38-40
5	Þegjandadalur 4	N	LTL	V~1477	Aldred et al. 2007, 8
5	Akraland	SW	LTL	K~1500	Rhodes & Trautadóttir 2004, 12-13
5	Nes	SW	LTL	K~1500	Gestsdóttir & Vésteinsson 1996, 20-23
5	Skeggjastaðir	SW	LTL	K~1500	Zori & Byock 2014, 71
5	Snjáleifartóttir	SW	LTL	H-1693	Þórarinnsson 1943, 36
5	Þrælagarður	SW	LTL	H-1693	Róbertsdóttir & Jóhannesson 1986, 221-226
6	undir Sandmúla	N	V-Sv	/	Vésteinsson et al. 2014, 51-52
6	Einarsstaðir	N	V-Sv	K-1262	Sigurgeirsson 2009b, 53-55
6	Eystri Brú	N	V-Sv	H-1300	Vésteinsson 2012, 43
6	Hjálmarvík	N	V-Sv	H-1300	Sigurgeirsson 2014, 62-63
6	Hólakot 2	N	V-Sv	H-1300	Sigurgeirsson 2010c, 14
6	Höfðagerði	N	V-Sv	H-1300	Aldred & Friðriksson 2003, 12-13
6	Ingveldarstaðir	N	V-Sv	H-1300	Hreiðarsdóttir & Ólafsson 2012, 30-32; Sigurgeirsson 2012a, 43
6	Kúðá	N	V-Sv	H-1300	Sigurgeirsson 2014, 63
6	Litlu-Gautlönd	N	V-Sv	H-1300	Sigurgeirsson 2008a, 47
6	Mánárþakki	N	V-Sv	H-1300	Sigurgeirsson 2003c, 12-13
6	Mariugerði	N	V-Sv	H-1300	Pálsdóttir 2010, 10, 20
6	Narfastaðasel	N	V-Sv	H-1300	Sigurgeirsson 2009a, 56-57
6	Öndólfstaðir	N	V-Sv	H-1300	Sigurgeirsson 2012b, 68
6	Sakka	N	V-Sv	H-1300	Hreiðarsdóttir 2010, 19; Sigurgeirsson 2010b, 36
6	Saltvík	N	V-Sv	H-1300	Vésteinsson 2004a, 28
6	Selholt	N	V-Sv	H-1300	Sigurgeirsson 2008a, 47
6	Svalbarð	N	V-Sv	H-1300	Sigurgeirsson 2014, 64-65
6	Svínadalur	N	V-Sv	H-1300	Vésteinsson 2012, 52-55
6	Sýrnes	N	V-Sv	H-1300	Sigurgeirsson 2005a, 41
6	Tinnársel	N	V-Sv	H-1300	Sveinbjarnardóttir 1992, 139
6	Sómastaðagerði	E	V-Sv	Ö-1362	Sigurgeirsson 2003a, 26
6	Fremri Fjöll	N	V-Sv	V~1410	Hreiðarsdóttir & Ólafsson 2012, 20; Sigurgeirsson 2012a, 41
6	Arnarvatnssel	N	V-Sv	V~1477	Vésteinsson 2011, 42-44; Sigurgeirsson 2011, 75
6	Eyvík	N	V-Sv	V~1477	Hansson 2007, 7

6	Geldingatættur	N	V-Sv	V~1477	Sigurgeirsson 2008a, 47-48
6	Grænavatn	N	V-Sv	V-1477	Vésteinsson 2008, 34
6	Hálskot	N	V-Sv	V~1477	Hreiðarsdóttir 2010, 25; Sigurgeirsson 2010b, 36
6	Hraungerði	N	V-Sv	V~1477	Sigurgeirsson 2012a, 42
6	Hraunstakkaborg	N	V-Sv	V~1477	Sigurgeirsson 2012a, 42
6	Kirkjulaut	N	V-Sv	V~1477	Sigurgeirsson 2012b, 67-68
6	Langgarður í landi Garðs	N	V-Sv	V~1477	Sigurgeirsson 2012a, 42
6	milli Ingveldarstaða og Tóveggis	N	V-Sv	V~1477	Sigurgeirsson 2012, 42
6	Tungufell 1	N	V-Sv	V~1477	Hreiðarsdóttir 2010, 14; Sigurgeirsson 2010b, 35
6	Tungufell 2	N	V-Sv	V~1477	Hreiðarsdóttir 2010, 16-17; Sigurgeirsson 2010b, 35
6	Fjárhóll	E	Eldgjá	H-1206	Einarsson 2012a, 7
6	Hróðnýjarstaðir	E	Eldgjá	H-1206	Hreiðarsdóttir et al. 2014, 11
6	Leiðólfsfell	E	Eldgjá	H-1206	Einarsson 2010b, 5-6
6	Litli-Svartinúpur	E	Eldgjá	H-1206	Hreiðarsdóttir et al. 2014, 32-34
6	milli Merkurár og Sláttugils	E	Eldgjá	H-1206	Einarsson 2013b, 6-7
6	Streyma	E	Eldgjá	H-1206	Einarsson 2014, 6
6	við Fjaðrárgljúfur	E	Eldgjá	H-1206	Einarsson 2010a, 7
6	Langanes I (REU 23)	SW	Eldgjá	H-1341	Church et al. 2007, 663
6	Langanes II (CP 1)	SW	Eldgjá	H-1341	Church et al. 2007, 663
6	Langanes III (CP 4)	SW	Eldgjá	H-1341	Church et al. 2007, 663
6	Langanes IV (AS1)	SW	Eldgjá	H-1341	Church et al. 2007, 663
6	Langanes V (AS2)	SW	Eldgjá	H-1341	Church et al. 2007, 663
6	Markarfljót Valley (REU17)	SW	Eldgjá	H-1341	Church et al. 2007, 663
6	Ljótastaðir	N	Eldgjá	V~1477	Hreiðarsdóttir et al. 2014, 17-18

## References

- Aldred, O., Friðriksson, A., 2003. Archaeological assessment, Höfðagerði, Núpar 2002. Reykjavík: Fornleifastofnun Íslands. FS207-02251.
- Aldred, O., Einarsson, Á., Hreiðarsdóttir, E.Ó., Lárusdóttir, B., 2007. Forn garðlög í Suður-Pingeyjarsýslu. A system of earthworks in north-east Iceland. Fornleifastofnun Íslands & Náttúrurannsóknastöðin við Mývatn. FS349-04263.
- Ævarsson, U., 2009. Fornleifakönnun á Hólsfjöllum - Bakkastaðir og Þrælagerði. Reykjavík: Fornleifastofnun Íslands. FS410-08251.
- Bolender, D.J., 2005. Excavations at Glaumbær 2005: Preliminary Report of the Skagafjörður Archaeological Settlement Survey. In cooperation with Byggðasafn Skagafirðinga. Report submitted to the Archaeological Heritage Agency of Iceland (Fornleifavernd Ríkisins), Reykjavík.
- Bolender, D.J., Steinberg, J., Shepard, R., Button, E., 2008. Skagafjörður Archaeological Settlement Survey 2008: Excavations at the Torfgarður Midden, Area B. Report

- submitted to the Archaeological Heritage Agency of Iceland (Fornleifavernd Ríkisins), Reykjavík.
- Bolender, D.J., Steinberg, J.M., Damiata, B.N., 2011. Farmstead reorganization at the end of the Viking Age. Results of the Skagafjörður archaeological settlement survey. *Arch Is* 9, 77–101.
- Byock, J., Zori, D., 2014. Introduction to Viking Age Archaeology in Iceland's Mosfell Valley, 1-18. In: Zori, D., Byock, J. (Eds.), *Viking Archeology in Iceland. Mosfell Archaeological Project*. Brepols Publishers n.v., Turnhout, Belgium.
- Carter, T., Traustadóttir, R., 2012. Hof Field Report. Subsurface Coring Survey and Test Trench. Excavations 2008. Hólarannsóknin 2012.
- Church, M., Dugmore, A., Mairs, K., Millard, A., Cook, G., Sveinbjarnardóttir, G., Ascough, P., Roucoux, K., 2007. Charcoal production during the Norse and Early Medieval Periods in Eyjafjallahreppur, Southern Iceland. *Radiocarbon* 49(2), 659-672.
- Edvardsson, R., Hreidarsdóttir, E.Ó., 2003. Fornleifarannsókn á garðlögum í landi Þverár í Öxarfirði. Reykjavík: Fornleifastofnun Íslands. FS209-03081.
- Edwald, Á., McGovern, T., 2009. Skútustaðir Midden Investigations Mývatn Northern Iceland 2008. NABO IPY 2008 Project Field Report.
- Einarsson, B.F., 1995. The Settlement of Iceland: A Critical Approach. *Granastaðir and the Ecological Heritage, GOTARCH, Series B. Gothenburg Archaeological Theses IV*, Gothenburg.
- Einarsson, B.F., 2008a. Blót houses in Viking Age farmstead cult practices. New findings from South-Eastern Iceland. *Acta Arch* 79, 145-184.
- Einarsson, B.F., 2008b. Heiðarbýlin. Fornar rústir á Síðuheiðum, V-Skaftafellssýslu. Rannsóknarskýrsla. Fornleifafræðistofan.
- Einarsson, B.F. 2010a. Heiðarbýlin. Fornar rústir á Síðuheiðum, V-Skaftafellssýslu II. Rannsóknarskýrsla. Fornleifafræðistofan.
- Einarsson, B.F., 2010b. Heiðarbýlin. Fornar rústir á Síðuheiðum, V-Skaftafellssýslu. Leiðólfssfell. Skýrsla III. Fornleifafræðistofan.
- Einarsson, B.F., 2012a. Heiðarbýlin. Fornar rústir á Síðuheiðum, V-Skaftafellssýslu. Fjárhóll. Skýrsla IV. Fornleifafræðistofan.
- Einarsson, B.F., 2012b. Kálfaströnd. Skýrsla um framkvæmdaefirlit og fornleifarannsókn á kolagröf, meintum seyð og mannvistarlagi á Kálfaströnd við Mývatn. Skýrsla II. Fornleifafræðistofan.
- Einarsson, B.F., 2013a. Vogur. Landnámsaldarbýli í Höfnum, Reykjanesbæ. Skýrsla IV. Fornleifafræðistofan.
- Einarsson, B.F. 2013b. Heiðarbýlin. Fornar rústir á Síðuheiðum, V-Skaftafellssýslu. Rústir á tanganum á milli Merkurár og Sláttugils. Skýrsla V. Fornleifafræðistofan.
- Einarsson, B.F., 2014. Heiðarbýlin. Fornar rústir á Síðuheiðum, V-Skaftafellssýslu. Rúst við Streitugil. Skýrsla VI. Fornleifafræðistofan.
- Einarsson, B.F., Sigurgeirsson, M.Á., 1996. Forkannanir á fornþýlinu Hala í Hlíðardal í Þingeyjasýslu 1994-1995. Frumskráning, frumteiknun, prufuholur og greining gjósku. Fornleifafræðistofan. Handrit. Einarsson, B.F. 1996. Beinhólkurinn frá Rangá. Nokkrar hugleiðingar um lítinn grip með mikla sögu. *Goðasteinn* 32.
- Einarsson, B.F., Einarssdóttir, S.S., 2008. Þjótanði við Þjórsá. Fornleifarannsóknir 2007 Skýrsla nr. LV-2008/074. Landsvirkjun 2008.

- Einarsson, B.F., Lindblad, D., Melsted, G., Csillag, S.E., 2008. Mjóeyri við Reyðarfjörð. Fornleifarannsóknir á rúst 016 í landi Sómastaða í Fjarðarbyggð, S-Múlasýslu. Fornleifafræðistofan.
- Einarsson, B.F., Csillag, S.E., 2011. Þjótandi við Þjórsá. Fornleifarannsóknir 2010 Skýrsla nr. LV-2011/062, Landsvirkjun 2011.
- Eldjárn, K. 1961. Bær í Gjáskógum í Þjórðardal. Árbók hins íslenska fornleifafélags 1961, 7-46.
- Friðriksson, A., 1991. Fornleifarannsóknir á Heynesi 1991, Reykjavík. Unpublished report.
- Friðriksson, A., Roberts, H.M., Guðmundsson, G., Gísladóttir, G.A., Sigurgeirsson, M.Á., Damiata, B., 2005. Þingvellir og þinghald að fornu - Framvinduskýrsla 2005. Reykjavík: Fornleifastofnun Íslands. FS307-02143.
- Gestsdóttir, H., Vésteinsson, O., 1996. Fornleifarannsóknir í Nesi við Seltjörn V. Skýrsla um fornleifauppgröft í túni við Nesstofu 1996. Reykjavík: Fornleifastofnun Íslands. FS027-95015.
- Guðmundsson, G., Snæsdóttir, M., Simpson, I., Hállsdóttir, M., Sigurgeirsson, M.Á., Árnason, K., 2004. Fornir Akrar á Íslandi. Meintar minjar um kornrækt á fyrri öldum. Árbók hins íslenska fornleifafélags 2002-2003, 97-106.
- Hansen, S.S., Vésteinsson, O. (Eds.), 2002. Archaeological investigations in Þjórsárdalur 2001. Reykjavík: Fornleifastofnun Íslands. FS181-00041.
- Hansson, O., 2007. Könnunarskurður í garðlag í landi Eyvíkur á Tjörnesi. Reykjavík: Fornleifastofnun Íslands. FS354-07091.
- Harrison, R. (Ed.), 2010. Gásir Hinterlands Project 2009: Midden Prospection and Excavation. FSÍ, Reykjavík and NORSEC, New York. FS440-06384.
- Harrison, R., 2013. World systems and human ecodynamics in medieval Eyjafjörður, north Iceland: Gasir and its hinterlands. Unpublished PhD thesis.
- Harrison R., Roberts, H.M., 2014. Investigations into the Gásir Hinterlands and Eyjafjörður Human Ecodynamics: Preliminary Field Report of the 2013 Skuggi and Staðartunga Excavations in Hörgárdalur, Eyjafjörður. Reykjavík: Fornleifastofnun Íslands. FS538-06384.
- Hermanns-Auðardóttir, M., 1989. Islands tidiga bosättning. Studier med utgångspunkt i merovingertida-vikingatida gårdslämningar i Herjólfssdalur, Vestmannaeyjar, Island, (Studia archaeologica Universitatis Umensis, I), Umeå.
- Hermanns-Auðardóttir, M., 2005. Fornleifarannsóknir við Bygggarðsvör á Seltjarnarnesi 2004.
- Hreiðarsdóttir, E.Ó., 2010. Forn garðlög í Dalvíkurbyggð: Fornleifakönnun á garðlögum í Svarfaðardal og á Árskógsströnd. Reykjavík: Fornleifastofnun Íslands. FS452-10071.
- Hreiðarsdóttir, E.Ó., Ólafsson, G., 2012. Forn Garðlög í Kelduneshreppi: Fornleifakönnun á Garðlögum. Reykjavík: Fornleifastofnun Íslands. FS481-11131.
- Hreiðarsdóttir, E.Ó., Hambrecht, G., Streeter, R., Dugmore, A., Gestsdóttir, H., 2014. Skaftártunga: Archaeological investigations in 2013. Reykjavík: Fornleifastofnun Íslands. FSFS535-13021.
- Jóhannesson, H., 1989. Aldur Hallmundarhrauns í Borgarfirði. Fjölrit Náttúrufræðistofnunar 9.

- Jóhannesson, H., Einarsson, S., 1988. Krýsuvíkureldar I. Aldur Ögmundarhrauns og Miðaldalagsins. Jökull 38, 71-85.
- Kristjánsdóttir, St., 1998. Geirsstaðir í Hróarstungu – stórbýli á landnáms- og söguöld. Skýrslur Minjasafns Austurlands IV. Egilsstaðir: Minjasafn Austurlands.
- Lárusdóttir, B., Roberts, H.M., Þorgeirsdóttir, S. (Eds.), 2012. Siglunes Archaeological investigations in 2011. Reykjavík: Fornleifastofnun Íslands. FS480-11121.
- Lucas, G., (Ed.) 2007. Fornleifauppgröftur á Pálstóftum við Kárahnjúka 2005. Reykjavík: Fornleifastofnun Íslands.
- Lucas, G., 2009. Hofstaðir. Excavations of a Viking Age Feasting Hall in North-Eastern Iceland, (Institute of Archaeology Monograph Series 1), Reykjavík.
- Magnússon, Þ., 1972. Sögualdarbyggð í Hvítárholti. Árbók hins íslenska fornleifafélags 1972, 5-80.
- McGovern, T., Perdikaris, S., 2016. Preliminary Report of Animal Bones from Selhagi, Mývatn District, Northern Iceland. NORSEC field report 2015.
- Ólafsson, G., 1992. Jarðhús að Hjálmsstöðum í Laugardal. Rannsókn 1983 –1985. Árnesingur II 1992, 39-56.
- Ólafsson, G., 1998. Eiríkstaðir í Haukardal. Fornleifarannsókn á skálarúst. Rannsóknaskýrslur 10.
- Ólafsson, G., 1999. Skálarlaga leirgryfja að Kópavatni. Rannsóknaskýrslur Fornleifadeildar 1987/7. Reykjavík: Þjóðminjasafn Íslands.
- Ólafsson, G., 2004. Þingnes við Elliðavatn. Fornleifarannsókn 2003. Rannsóknasaga. Þjóðminjasafn Íslands.
- Ólafsson, G., 2010. Skáli, jarðhús og fleiri fornar minjar Ferð að Tjaldubúð og Hrunakróki. Rannsóknaskýrslur Þjóðminjasafns 1988.
- Ólafsson, G., 2011. Úr fylgsni fortíðar í hellinum Víðgelmi. Rannsókn 11. desember 1993. Rannsóknaskýrslur fornleifadeildar 1993/3.
- Ólafsson, G., 2013a. Fornleifakönnun á Ingimundarhóli. Rannsóknaskýrslur fornleifadeildar 1986/6. Reykjavík: Þjóðminjasafn Íslands.
- Ólafsson, G., 2013b. Bessastaðarannsókn II. Kirkjugarður og miðaldaminjar, uppgriftarsvæði 12-15. Skýrslur Þjóðminjasafns Íslands. 2013/2.
- Ólafsson, G., 2014. Göltur í Grímsnesi. Fornleifakönnun 14. 9. 1985. Rannsóknaskýrslur fornleifadeildar 1985/7. Reykjavík: Þjóðminjasafn Íslands.
- Ólafsson, G., Smith, K.P., Stefánsdóttir, A., 2004. Rannsókn á minjum í Surtshelli. Rannsóknaskýrslur Þjóðminjasafns 2001.
- Pálsdóttir, L.B. (Ed.), 2010. Fornleifauppgröftur á fornu býli í Kelduhverfi. Framkvæmdarannsókn vegna fyrirhugaðs Dettifossvegar. Reykjavík: Fornleifastofnun Íslands. FS443-0906.
- Rafnsson, S., 1977. Sámstaðir í Þjórsson. Árbók hins íslenska fornleifafélags 1976, 39-120.
- Rafnsson, S., 1990. Byggðaleifar í Hrafnkelsdal og á Brúardölum, (Rit hins íslenska fornleifafélags 1), Reykjavík.
- Rhodes, D.T., Traustadóttir, R., 2004. Fornleifakönnun í Akralandi (Arnarneslandi). Byggingasafn Skagafirðinga, Rannsóknaskýrslur 2004/39.
- Roberts, H.M., Snæsdóttir, M., Mehler, N., Vésteinsson, O., 2003. Skáli frá víkingsöld í Reykjavík. Árbók hins íslenska fornleifafélags 2001-2002, 219-234.
- Róbertsdóttir, B.G., Jóhannesson, H., 1986. Þrælagarður í Biskupstungum.

- Náttúrufræðingurinn 56(4), 213-234.
- Sigurgeirsson, M.Á., 1999. Hofsstaðir í Garðabær, steinar úr uppgreftri. Steinagreining. Þjóðminjasafns Íslands. Unpublished report.
- Sigurgeirsson, M.Á., 2001a. Viðauki 1 – Gjóskulagagreining, 33-35. In: Ólafsson, G. Front jarðhúð í Breiðuvík og fleiri minjar á Tjörnesi. Rannsóknir vegna vegagerðar. Rannsóknaskýrslur 7, 2000.
- Sigurgeirsson, M.Á., 2001b. Gjóskulagagreining, 103-104. In: Roberts, H. (Ed.), Fornleifarannsókn á lóðunum/Archaeological Excavations at Aðalstræti 14-18, 2001. Reykjavík: Fornleifastofnun Íslands. FS156-00161.
- Sigurgeirsson, M.Á., 2001c. Greinargerð um gjóskulög, 39-42. In: Vésteinsson, O. (Ed.), Archaeological investigations at Sveigakot 1998-2000. Reykjavík: Fornleifastofnun Íslands. FS134-00211.
- Sigurgeirsson, M.Á., 2002a. Gjóskulög í Þjórsárdal, 31-34. In: Stummann Hansen, S., Vésteinsson, O. (Eds), Archaeological Investigations in Þjórsárdalur 2001. Reykjavík: Fornleifastofnun Íslands. FS181-00041.
- Sigurgeirsson, M.Á., 2002b. Fornleifarannsóknir í Mývatnssveit og Aðaldal 2002 Gjóskulagagreining. Unpublished report.
- Sigurgeirsson, M.Á., 2003a. Könnun á gjóskulögum í Sómastaðagerði í Reyðarfirði þann 14. maí 2003 – bráðabirgðaniðurstöður, 26. In: Roberts, H., Land at Sómastaðagerði and Hraun, Reyðarfjörður: An Archaeological Evaluation. Reykjavík: Fornleifastofnun Íslands. FS212-99122.
- Sigurgeirsson, M.Á., 2003b. Gjóskulagagreining, 40-42. In: Vésteinsson, O. (Ed.), Fornleifarannsókn á Steinboga í Mývatnssveit 2002. Reykjavík: Fornleifastofnun Íslands. FS189-02072.
- Sigurgeirsson, M.Á., 2003c. Gjóskulagagreining, 12-14. In: Larusdóttir, B., Hreiðarsdóttir, E.Ó., Edvardsson, R., Fornleifarannsóknir á tóft á Bangastöðum og garðlagi í Valadal á Tjörnesi 2002. Reykjavík: Fornleifastofnun Íslands. FS201-0211.
- Sigurgeirsson, M.Á. 2005a. Fornir garðar í Suður-Þingeyjarsýslu. Gjóskulagagreining, 40-42. In: Aldred, O., Einarsson, Á., Hreiðarsdóttir, E.Ó., Lárusdóttir, B., Forn garðlög í Suður-Þingeyjarsýslu. A system of earthworks in north-east Iceland. FS292-04262.
- Sigurgeirsson, M.Á. 2005b. Fornleifarannsókn á Þingvöllum í Árnessýslu, 20-22. In: Friðriksson, A., Roberts, H.M., Guðmundsson, G., Gísladóttir, G.A., Sigurgeirsson, M.Á., Damiata, B., Þingvellir og þinghald að fornu - Framvinduskýrsla 2005. Reykjavík: Fornleifastofnun Íslands. Reykjavík: Fornleifastofnun Íslands & Náttúrurannsóknastöðin við Mývatn. FS307-02143.
- Sigurgeirsson, M.Á., 2008a. Gjóskulagagreining: 46-49. In: Vésteinsson, O. (Ed.), Archaeological investigations in Mývatnssveit 2007. Reykjavík: Fornleifastofnun Íslands. FS454-02264.
- Sigurgeirsson, M.Á., 2008b. Fornleifarannsókn í landi Nausta, Akureyri. Gjóskulagagreining, 38-40. In: Hansson, O. Björgunaruppgröftur í landi Nausta á Akureyri. (Framvinduskýrsla I). Reykjavík: Fornleifastofnun Íslands. FS380-07261.
- Sigurgeirsson, M.Á., 2009a. Fornleifarannsóknir í Suður-Þingeyjarsýslu sumarið 2008 –



- Gjóskulagarannsókn, 15-19. In: Pétursdóttir, Þ., Frumrannsókn menningarminja í Narfastaðaseli. Reykjavík: Fornleifastofnun Íslands. FS418-08161.
- Sigurgeirsson, M.Á., 2009b. Fornleifarannsókn í Þegjandadal, Suður-Þingeyjarsýslu 2007, 52-54. Gjóskulagagreining. In: Roberts, H.M. (Ed.), Archaeological Excavations in Þegjandadalur 2007-2008. Reykjavík: Fornleifastofnun Íslands. FS424-08162.
- Sigurgeirsson, M.Á., 2010a. Archaeological research in Skagafjörður, summer 2009. Tephra layers. Unpublished report.
- Sigurgeirsson, M.Á., 2010b. Fornleifarannsókn í Svarfaðardal sumarið 2010 Gjóskulagarannsókn, 35-37. In: Hreiðarsdóttir, E., Forn garðlög í Dalvíkurbyggð: Fornleifakönnun á garðlögum í Svarfaðardal og á Árskógsströnd. Reykjavík: Fornleifastofnun Íslands. FS452-10071.
- Sigurgeirsson, M.Á., 2010c. Viðauki I – Gjóskulagagreining, 14. In: Beck, S.G., Fornleifakönnun í Hólakoti, Seljadal. Reykjavík: Fornleifastofnun Íslands. FS441-09051.
- Sigurgeirsson, M.Á., 2011. Gjóskulagarannsókn, 72-80. In: Vésteinsson, O. (Ed.), Archaeological investigations in Mývatnssveit, Reykjadalur and Svartárvot 2010. Reykjavík: Fornleifastofnun Íslands. FS454-02264.
- Sigurgeirsson, M.Á., 2012a. Fornleifarannsókn í Kelduhverfi sumarið 2011 Gjóskulagarannsókn, 41-49. In: Hreiðarsdóttir, E.Ó., Ólafsson, S., Forn garðlög í Kelduneshreppi: Fornleifakönnun á garðlögum. Reykjavík: Fornleifastofnun Íslands. FS481-11131.
- Sigurgeirsson, M.Á., 2012b. Fornleifarannsóknir í Suður-Þingeyjarsýslu sumarið 2011. Gjóskulagarannsókn, 66-71. In: Vésteinsson, O., Gröf og Dauði. Skýrsla um Vettvangsrannsóknir Sumarið 2011. Reykjavík: Fornleifastofnun Íslands. FS490-11141.
- Sigurgeirsson, M.Á., 2012c. Fornleifarannsókn á Siglunesi í Fjallabyggð sumarið 2011. Gjóskulagarannsókn, 36-38. In: Lárusdóttir, B., Roberts, H.M., Þorgeirsdóttir, S. (Eds.), Siglunes Archaeological investigations in 2011. Reykjavík, Fornleifastofnun Íslands. FS480-11121.
- Sigurgeirsson, M.Á., 2013. Fornleifarannsókn á Skógum í Fnjóskadal 2012. Gjóskulagarannsókn, 1-4. In: Sigurðarson, G.St., Zoëga, B., Skógar í Fnjóskadal. Fornleifarannsókn 2011-2012. Byggðasafn Skagfirðinga – Rannsóknaskýrslur 2013/140.
- Sigurgeirsson, M.Á., 2014. Gjóskulagarannsókn á Svalbarðstungu, 61-65. In: Gísladóttir, G.A. (Ed.), Svalbarðsrannsóknir 2013: Bægisstaðir, Hjálmarvík, Kúðá, Svalbarð, Sjóhúsavík og Skriða. Reykjavík: Fornleifastofnun Íslands. FS537-08283.
- Sigurðarson, G.St., 2014. Hamar í Hegranesi – Neyðarrannsókn 2014. Byggðasafn Skagfirðinga – Rannsóknaskýrslur 2014/152.
- Sigurðarson, G.St., Zoëga, B., 2013. Skógar í Fnjóskadal. Fornleifarannsókn 2011-2012. Byggðasafn Skagfirðinga – Rannsóknaskýrslur 2013/140.
- Smith, K.P., 2008. Gilsbakki in Hvítársíða, Western Iceland. Preliminary Report of Investigations, 2008. Research Reports of the Circumpolar Laboratory, No.1, Brown University.
- Steinberg, J.M., 2008. Coring and test pit at Halldórsstaðir. Report of the Skagafjörður Archaeological Settlement Survey 2008.

- Steinberg, J.M., Bolender, D.J., 2004. Rannsókn á búsetuminjum í Skagafirði. Aðferðir og niðurstöður eftir tveggja ára starf. Árbók hins íslenska fornleifafélags 2002-2003, 107-130.
- Steinberg, J., Shepard, R., 2007. Coring at Meðalheimur. Report of the Skagafjörður Archaeological Settlement Survey 2007. Cotsen Institute of Archaeology at UCLA Northwestern University.
- Steinberg, J.M., Damiata, B., Bolender, D.J., (Eds.), 2005. Report of the Skagafjörður Archaeological Settlement Survey 2005. Cotsen Institute of Archaeology at UCLA Northwestern University.
- Steinberg, J.M., Trigg, H., Stuart, K., Bowes, J., Ostrowsky, T., Slawson, M., 2007. Test pit at Marbæli. Report of the Skagafjörður Archaeological Settlement Survey. Cotsen Institute of Archaeology at UCLA Northwestern University.
- Steinberg, J., Shepard, R.S., Hale, K.R., Curtis, J.E., Catlin, K.A., 2009a. Coring and Test pit at Holtsmúli (62). Cotsen Institute of Archaeology at UCLA Northwestern University.
- Steinberg, J., Shepard, R.S., Hale, K.R., Button, E.L., Catlin, K.A., 2009b. Coring and Test pit at Kjartansstaðir (57). Cotsen Institute of Archaeology at UCLA Northwestern University.
- Steinberg, J., Shepard, R.S., Hale, K.R., Button, E.L., Catlin, K.A., 2009c. Coring and Test pit at Litla Gröf (60). Cotsen Institute of Archaeology at UCLA Northwestern University.
- Steinberg, J., Shepard, R.S., Hale, K.R., Button, E.L., Catlin, K.A., 2009d. Coring and Test pit at Páfastaðir (59). Cotsen Institute of Archaeology at UCLA Northwestern University.
- Steinberg, J., Shepard, R.S., Button, E.L., Catlin, K.A., Ronchi, M.R., 2009e. Coring and Test pit at Stóra Gröf (61). Cotsen Institute of Archaeology at UCLA Northwestern University.
- Steinberg, J., Bolender, D.J., Schreiner, A., Button, E.L., Shepard, R.S., Catlin, K.A., Joffe, S., 2009f. Test pits at Meðalheimur (1006). Report of the Skagafjörður Archaeological Settlement Survey 2009. Cotsen Institute of Archaeology at UCLA Northwestern University.
- Sveinbjarnardóttir, G., 1992. Farm Abandonment in Medieval and Post-Medieval Iceland: an Interdisciplinary Study, (Oxbow Monograph 17), Oxford.
- Sveinbjarnardóttir, G., 2012. Reykholt. Archaeological Investigations at a High Status Farm in Western Iceland. Reykjavík: Þjóðminjasafn Íslands & Snorrastofa.
- Traustadóttir, R., 1995. Hofsstaðir í Garðabæ. Rannsókn á bæjarstæði. Rannsóknarskýrslur fornleifadeildar 1994 VI. Þjóðminjasafn Íslands. Reykjavík.
- Traustadóttir, R., Ebsen, J.A., Sigurgeirsson, M.Á., Steinberg, J., Martin, S.L., Hellqvist, M., Bäckström, Y., Bolender, D., 2002. Hólar í Hjaltadal. Uppgriftarskýrsla - Excavation report. Hólarannsóknin 2002.
- Traustadóttir, R., Davíðsdóttir, L.L., Valmundsdóttir, M., Svensson, J., Guðmundsdóttir, L., 2010. Urriðakot. Fornleifarannsókn 2010. Framvinduskýrsla.
- Vésteinsson, O., 1998. Fornleifarannsókn á Neðra Ási í Hjaltadal 1998. Reykjavík: Fornleifastofnun Íslands. FS068-98173.
- Vésteinsson, O. (Ed.), 2004a. Fornleifarannsóknir í Saltvík 2003. Reykjavík: Fornleifastofnun Íslands. FS246-03271.

- Vésteinsson, O., 2004b. Archaeological investigations at Brenna, 45-55. In: Vésteinsson, O. (Ed.), Landscapes of settlement 2002. Reports on investigations at five medieval sites in Mývatnssveit. Reykjavík: Fornleifastofnun Íslands. FS218-02261.
- Vésteinsson, O., 2004c. Archaeological investigations at Oddastaðir, 58-69 In: Vésteinsson, O. (Ed.), Landscapes of settlement 2002. Reports on investigations at five medieval sites in Mývatnssveit. Reykjavík: Fornleifastofnun Íslands. FS218-02261.
- Vésteinsson, O., 2004d. Archaeological investigations at við Viðiker. In: Vésteinsson, O. (Ed.), 2004d. Landscapes of settlement 2002. Reports on investigations at five medieval sites in Mývatnssveit. Reykjavík: Fornleifastofnun Íslands. FS218-02261.
- Vésteinsson, O., 2004e. Krókdalur. Fornleifaskráning 2004. Reykjavík: Fornleifastofnun Íslands. FS258-04191.
- Vésteinsson, O., (Ed.), 2008. Archaeological investigations in Mývatnssveit 2007. Reykjavík: Fornleifastofnun Íslands. FS454-02264.
- Vésteinsson, O., (Ed.), 2011. Archaeological investigations in Mývatnssveit, Reykjadalur and Svartárkot 2010. Reykjavík: Fornleifastofnun Íslands. FS454-02264.
- Vésteinsson, O., 2012. Gröf og Dauði. Skýrsla um Vettvangsrannsóknir Sumarið 2011. Reykjavík: Fornleifastofnun Íslands. FS490-11141.
- Vésteinsson, O., 2013. Gröf og Dauði. Skýrsla um Vettvangsrannsóknir 2012-2013. Reykjavík: Fornleifastofnun Íslands. FS528-11143.
- Vésteinsson, O., Church, M., Dugmore, A., McGovern, T.H., Newton, A., 2014. Expensive errors or rational choices: the pioneer fringe in Late Viking Age Iceland. *European Journal of Postclassical Archaeologies* 4, 39-68.
- Vilhjálmsson, V.Ö., 1989. Stöng og Þjórsárdalur-bosættelsens ophör. *Hikuin* 15, 75-102.
- Zoëga, G., 2006. Greining mannabeina úr kirkjugarðinum í Keldudal Hegranesi. Lokaskýrsla fyrir Kristnihátíðarsjóð. Byggðasafn Skagfirðinga – Rannsóknaskýrslur 2006/80.
- Zoëga, G., 2007. Eyðibýggð og afdalir Skagafjarðar I - byggðasöguleg fornleifarannsókn. Byggðasafn Skagfirðinga – Rannsóknaskýrslur 2005/63.
- Zoëga, G., 2011. Eyðibýggð og afdalir Skagafjarðar V - byggðasöguleg fornleifarannsókn. Byggðasafn Skagfirðinga – Rannsóknaskýrslur 2011/117.
- Zoëga, G., Pálsson, H., 2008. Eyðibýggð og afdalir Skagafjarðar II – byggðasögurannsókn. Byggðasafn Skagfirðinga – Rannsóknaskýrslur 2008/75.
- Zoëga, G., Gunnarsson, K., 2013. Eyðibýggð og afdalir Skagafjarðar VI – byggðasögurannsókn. Byggðasafn Skagfirðinga – Rannsóknaskýrslur 2013/136.
- Zoëga, G., Pálsson, H., Gunnarsson, K., 2009. Eyðibýggð og afdalir Skagafjarðar III – byggðasögurannsókn. Byggðasafn Skagfirðinga – Rannsóknaskýrslur 2009/94.
- Zoëga, G., Gunnarsson, K., Pálsson, 2013a. Eyðibýggð og afdalir Skagafjarðar VII – byggðasöguleg fornleifarannsókn. Byggðasafn Skagfirðinga – Rannsóknaskýrslur 2013/139.
- Zoëga, G., Zoëga, B., Gunnarsson, K., 2013b. Málmey á Skagafirði – byggðasögurannsókn. Byggðasafn Skagfirðinga – Rannsóknaskýrslur 2013/139.
- Zoëga, G., Gunnarsson, K., Pálsson, H., 2014. Eyðibýggð og afdalir Skagafjarðar VIII –

- byggðasöguleg fornleifarannsókn. Byggðasafn Skagfirðinga – Rannsóknaskýrslur 2013/132.
- Zoëga, G., Gunnarsson, K., Pálsson, H., Zoëga, B., 2016. Eyðibýggð og afdalir Skagafjarðar IX byggðasögurannsókn. Byggðasafn Skagfirðinga – Rannsóknaskýrslur 2016/162.
- Þórarinnsson, S., 1943. Þjórsárdalur, de vulkaniska asklagren. In: Stenberger, M. (Ed.), Forntida gårdar i Island. Meddelanden från den Nordiska arkeologiska undersökningen i Island sommaren 1939. København: Ejnar Munksgaard.
- Þórarinnsson, S., 1949. Örlög Byggðarinnar á Hrunamannaafretti í ljósi Öskulagarannsóknna. Árbók hins íslenska fornleifafélags 1949, 44-65.
- Þórarinnsson, S. 1977. Gjóskulög og gamlar rústir. Brot úr íslenskri byggðasögu. Árbók hins íslenska fornleifafélags 1976, 5-38.
- Zori, D., Byock, J., (Eds.), 2014. Viking Archaeology in Iceland. Mosfell Archaeological Project. Brepols Publishers, Turnhout.